

7.0 REFERENCES

- Ackerman, R.A. 1996. The nest environment and embryonic development of sea turtles. In: Lutz, P.L. and J.A. Musick (eds.). *The Biology of Sea Turtles*. CRC Press.
- Ackerman, R.A., T. Rimkus, and R. Horton. 1991. *The Hydric Structure and Climate of Natural and Renourished Sea Turtle Nesting Beaches along the Atlantic Coast of Florida*. Unpublished report prepared by Iowa State University for Florida Department of Natural Resources, Tallahassee.
- Anamar and Coastal Planning & Engineering. 2009. *Bogue Banks, North Carolina, Shore Protection Project, Hardbottom Resource Confirmation and Characterization Study*. Submitted to U.S. Army Corps of Engineers. Contract W912HN-08-C-0009.
- Armstrong, J.L. and J.E. Hightower. 1999. *Movement, habitat selection, and growth of early juvenile Atlantic sturgeon in Albemarle Sound, North Carolina*. Final Report to U.S. Fish and Wildlife Service and Virginia Power. North Carolina Cooperative Fish and Wildlife Research Unit, NC State University, Raleigh, NC.
- Atlantic Sturgeon Status Review Team (ASSRT). 2007. *Status Review of Atlantic sturgeon (Acipenser oxyrinchus oxyrinchus)*. Report to National Marine Fisheries Service, Northeast Regional Office. February 23, 2007.
- Bain, M.B. 1997. Atlantic and shortnose sturgeon of the Hudson River: a common and divergent life history attributes. *Environmental Biology of Fishes* 48(1-4): 347-358.
- Bergquist, D.C., S.E. Crowe, M. Levisen, and R.F. Van Dolah. 2008. *Change and Recovery of Physical and Biological Characteristics at Beach and Borrow Areas Impacted by the 2005 Folly Beach Renourishment Project*. Marine Resources Research Institute, Marine Resources Division, South Carolina Department of Natural Resources, Charleston, SC. Submitted to: U.S. Army Corps of Engineers, Charleston District, Charleston, SC. Technical Report Number 102.
- Blanchon P. and J. Shaw. 1995. Reef drowning during the last deglaciation; evidence for catastrophic sea-level rise and ice-sheet collapse. *Geology* 23:4–8.
- Blanton, J.O., F.E. Werner, A. Kapolnai, B.O. Blanton, D. Knott, and E. Wenner. 1999. Wind-generated transport of fictitious passive larvae into shallow tidal estuaries. *Fish. Oceanogr.* 8: 210–223.

- Browder, A.G. and J.E. McNinch. 2006. Linking framework geology and nearshore morphology: Correlation of paleo-channels with shore-oblique sandbars and gravel outcrops. *Marine Geology* 231(1-4):141–162.
- Burke, J.S. 1995. Role of feeding and prey distribution of summer and southern flounder in selection of estuarine nursery habitats. *Journal of Fish Biology*, 47: 355–366.
- Burlas, M., G.L. Ray, and D.G. Clarke. 2001. The New York District's biological monitoring program for the Atlantic coast of New Jersey, Asbury Park to Manasquan section beach erosion control project. Final report. U.S. Army Corps of Engineers (USACE) New York District.
- Bush, D.M., J.N. William, R.S. Young, and O.H. Pilkey. Utilization of geoindicators for rapid assessment of coastal-hazard risk and mitigation. *Ocean & Coastal Management* 42 (1999) 647-670.
- Brock, K.A., J.S. Reece, and L.M. Ehrhart. 2009. The effects of artificial beach nourishment on marine turtles: differences between loggerhead and green turtles. *Restoration Ecology* 17(2): 297–307.
- Browder, A.E., R.G. Dean, and R. Chen. 1996. Performance of a submerged breakwater for shore protection, Book of Abstracts 25th Int. Conf. on Coastal Eng., Orlando, USA.
- Byrd, J.I. 2004. The effect of beach nourishment on loggerhead sea turtle (*Caretta caretta*) nesting in South Carolina. Master's Thesis, College of Charleston, Charleston, SC.
- Byrnes, M.R., R.M. Hammer, B.A. Vittor, S.W. Kelley, D.B. Snyder, J.M. Côté, J.S. Ramsey, T.D. Thibaut, N.W. Phillips, and J.D. Wood. 2003. Collection of Environmental Data within Sand Resource Areas Offshore North Carolina and the Environmental Implications of Sand Removal for Coastal and Beach Restoration. U.S. Department of the Interior, Minerals Management Service, Leasing Division, Sand and Gravel Unit, Herndon, VA. OCS Report MMS 2000-056, Volume I: Main Text 256 pp. + Volume II: Appendices 69 pp.
- Cameron, S.E. 2009. The 2006 International Piping Plover Winter Census in North Carolina. In: Elliott-Smith, E., S. M. Haig, and B. M. Powers (eds.) Data from the 2006 International Piping Plover Census, U.S. Geological Survey Data Series 426.
- Cameron, S., D.H. Allen, M.M. Lyons, J.R. Cordes, and S.B. Maddock. 2006. Compilation and Assessment of Piping Plover Wintering and Migratory Staging Area Data in North Carolina. In: Rabon, D.R. (compiler). Proceedings of the Symposium on the Wintering Ecology and Conservation of Piping Plovers. U.S. Fish and Wildlife Service, Raleigh, NC.

- Carter, A., E. Hague, and L. Floyd. 2008. Benthic Infauna Recovery Following Channel Dredging in the Vicinity of Bogue Inlet, North Carolina. Available from: <http://www.fsbpa.com/08Proceedings/05CarterHague2008.pdf>.
- Churchill, J.H., R.B. Forward, R.A. Luettich, J.L. Hench, W.F. Hettler, L.B. Crowder, and B.O. Blanton. 1999. Circulation and larval fish transport within a tidally dominated estuary. *Fisheries Oceanography* 8: 173-189.
- Clarke, D., C. Dickerson, and K. Reine. 2002. Characterization of underwater sounds produced by dredges. U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Cleary, W. 2008. Overview of Oceanfront Shorelines: Cape Lookout to Sunset Beach, NC. Report prepared for Moffat & Nichol.
- Cleary, W.J. 2003. Bogue Inlet, NC: A GIS Based Investigation of Inlet-Induced Shoreline Changes. Prepared for Coastal Planning and Engineering (CPE).
- Cleary W.J. and Knierim. 2001. Turbidity and suspended sediment characterizations: Nixon Channel dredging and beach rebuilding, Figure Eight Island, NC. Report submitted to Figure Eight Beach Homeowners Association, Figure Eight Island, NC, 33 pp.
- Coastal Planning & Engineering, Inc (CPE). 2004. Bogue Inlet Channel Erosion Response Project Final Environmental Impact Statement (FEIS). Prepared for the Town of Emerald Isle and submitted to the Army Corps of Engineers. April 2004.
- CPE. 2003. Final Draft Biological Assessment, Endangered Species Act, Bogue Inlet Channel Relocation Project, Emerald Isle, North Carolina. Prepared for: Town of Emerald Isle, NC. Submitted to: U.S. Army Corps of Engineers, Wilmington, North Carolina. June 2003.
- Coastal Tech. 2013. Carteret County, North Carolina Sand Search Investigation, Final Geotechnical Report. Prepared by: Coastal Tech, Melbourne, FL. Prepared for: Moffat & Nichol, Inc.
- Coen, L.D., R.D. Brumbaugh, D. Bushek, R. Grizzle, M.W. Luckenbach, M.H. Posey, S.P. Powers, and S.G. Tolley. 2007. Ecosystem Services Related to Oyster Restoration. *Marine Ecology Progress Series* 341: 303-307.
- Coles, C.C. and J.A. Musick. 2000. Satellite Sea Surface Temperature Analysis and Correlation with Sea Turtle Distribution off North Carolina. *Copeia* 2000: 551-554.
- Crain, D.A., A.B. Bolten, and K.A. Bjorndal. 1995. Effects of beach nourishment on sea turtles: Review and research initiatives. *Restoration Ecology* 3(2): 95-104.

- Cummings, E.W., D.A. Pabst, J.E. Blum, S.G. Barco, S.J. Davis, V.G. Thayer, N. Adimey, and W.A. McLellan. 2014. Spatial and temporal patterns of habitat use and mortality of the Florida manatee (*Trichechus manatus latirostris*) in the mid-Atlantic states of North Carolina and Virginia from 1991 to 2012. *Aquatic Mammals* 40(2):126-138.
- Daniel, R.S. and K.U. Smith. 1947. The sea-approach behavior of the neonate loggerhead turtle (*Caretta caretta*). *Journal of Comparative and Physiological Psychology* 40(6):413-420.
- Davis, R.A., M.V. Fitzgerald, and J. Terry. 1999. Turtle nesting on adjacent nourished beaches with different construction styles: Pinellas County, Florida. *Journal of Coastal Research* 15(1), 111-120.
- Deaton, A.S., W.S. Chappell, K. Hart, J. O'Neal, and B. Boutin. 2010. North Carolina Coastal Habitat Protection Plan. North Carolina Department of Environment and Natural Resources, NCDMF.
- Department of the Navy (DoN). 2008a. Marine resources assessment update for the Charleston/Jacksonville operating area. Final report. Prepared for Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia, by Geo-Marine, Inc., Plano, Texas.
- DoN. 2008b. Marine resources assessment update for the Cherry Point operating area. Final report. Prepared for Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia, by Geo-Marine, Inc., Plano, Texas.
- Dial Cordy and Associates Inc. (DCA). 2015. Holden Beach East End Shore Protection Project Draft Environmental Impact Statement. Prepared By Dial Cordy And Associates Inc. Wilmington, NC. Prepared for: Wilmington District, U.S. Army Corps Of Engineers.
- Diaz, H. 1980. The mole crab *Emerita talpoida* (say): A case study of changing life history pattern. *Ecological Monographs* 50(4):437-456.
- Dickerson, D., C. Theriot, M. Wolters, C. Slay, T. Bargo, and W. Parks. 2007. Effectiveness of relocation trawling during hopper dredging for reducing incidental take of sea turtles. In: Proceedings of the World Dredging Congress XVIII, USACE ERDC Research Initiatives. Central Dredging Association, 27 May-1 June 2007, Lake Buena Vista, Florida.
- Dickerson, D., M.S. Wolters, C.T. Theriot, and C. Slay. 2004. Dredging impacts on sea turtles in the Southeastern USA: A historical review of protection. In: Proceedings of World Dredging Congress XVII, Dredging in a Sensitive Environment. 27 September-1 October 2004, Central Dredging Association.

- Dinsmore, S.J., J.A. Collazo, and J.R. Walters. 1998. Seasonal Numbers and Distribution of Shorebirds on North Carolina's Outer Banks. *Wilson Bull.* 110: 171-18.
- Dixon, C.E. 2007. The effects of summer beach nourishment to the Atlantic ghost crab populations on Folly Beach, SC. Masters Thesis, The Graduate School of the College of Charleston. Charleston, SC.
- Ehrhart, L.M. 1995. The relationship between marine turtle nesting and reproductive success and the beach nourishment project at Sebastian Inlet, Florida, in 1994. Melbourne, Florida, University of Central Florida, Technical Report to the Florida Institute of Technology.
- Ellis, C.L. and H. Vogelsong. 2005. A Comparison of Visitors and Residents on Motivations for Visiting North Carolina Recreational Beaches. Proceedings of the 14th Biennial Coastal Zone Conference New Orleans, Louisiana, July 17 to 21, 2005.
- Epperly, S.P., J. Braun-McNeill, and P.M. Richards. 2007. Trends in catch rates of sea turtles in North Carolina, USA. *Endangered Species Research* 3: 283–293.
- Epperly, S.P., J. Braun, A.J. Chester, E.A. Cross, J.V. Merriner, and P.A. Tester. 1995a. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. *Bull. Mar. Sci.* 56: 547-568.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995b. Sea turtles in North Carolina waters. *Conservation Biology* 9: 384-394.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995c. Aerial surveys for sea turtles in North Carolina inshore waters. *Fishery Bulletin* 93: 254-261.
- Epperly, S.P. 1984. Fishes of the Pamlico-Albemarle peninsula, N.C., Area utilization and potential impacts. North Carolina Division of Marine Fisheries, Morehead City, NC, Special Scientific Report 42, 129 pp.
- Erbe C. 2002. Underwater Noise of Whale-Watching Boats and Potential Effects on Killer Whales (*Orcinus orca*), based on an acoustic impact model. *Mar Mamm Sci* 18: 394–418
- Ernest, R.G. 2001. The Effects of Beach Nourishment on Sea Turtle Nesting and Reproductive Success, a Case Study on Hutchinson Island, Florida Proceedings of the Coastal Ecosystems and Federal Activities Technical Training Symposium August 20-22, 2001.
- Ernest, R.G. and R.E. Martin. 1999. Martin County beach nourishment project: sea turtle monitoring and studies, 1997 annual report and final assessment. Unpublished report prepared for the Florida Department of Environmental Protection.

- Federal Emergency Management Agency and State of North Carolina. 2003. Flood Insurance Study: A Report of Flood Hazards in Carteret County, North Carolina and Incorporated Areas. Flood Insurance Study Number 37031CV000A.
- Ferguson, R.L. and L.L. Wood. 1994. Rooted Vascular Aquatic Beds in the Albemarle-Pamlico Estuarine System. NMFS, NOAA, Beaufort, NC, Project No. 94-02, 103 pp.
- Fisheries and Oceans Canada. 2010. Recovery Strategy for the North Pacific Humpback Whale (*Megaptera novaeangliae*) in Canada [DRAFT]. Species at Risk Act Recovery Strategy Series. Fisheries and Oceans Canada, Ottawa.
- Fraser, J.D., S.E. Keane, and P.A. Buckley. 2005. Pre-nesting Use of Intertidal Habitats by Piping Plovers on South Monomoy Island, Massachusetts. *The Journal of Wildlife Management*, 69: 1731–1736.
- Fraser, S.B. and G.R. Sedberry. 2008. Reef Morphology and Invertebrate Distribution at Continental Shelf Edge Reefs in the South Atlantic Bight. *Southeastern Naturalist* 7(2): 191-206.
- Godcharles, M.F. and M.D. Murphy. 1986. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (South Florida) - King Mackerel and Spanish Mackerel. U.S. Fish Wildlife Service/U.S. Army Corps of Engineers, Biol. Rep. 82(11.58)/TR EL-82-4, 18 pp.
- Good, C. 2008. Spatial ecology of the North Atlantic right whale (*Eubalaena glacialis*). PhD dissertation, Duke University, Durham, NC.
- Goodman, M.A., J.B. McNeill, E. Davenport, and A.A. Hohn. 2007. Protected species aerial survey data collection and analysis in waters underlying the R-5306A Airspace: Final report submitted to U.S. Marine Corps, MCAS Cherry Point. NOAA Technical Memorandum NMFSSEFSC-551.
- Gorzelany, J.F. and W.G. Nelson. 1987. The effects of beach replenishment on the benthos of a sub-tropical Florida beach. *Marine Environmental Research* 21(2): 75-94.
- Govoni, J.J. and H. L. Spach. 1999. Exchange and flux of larval fishes across the western Gulf Stream front south of Cape Hatteras, USA, in winter. *Fish. Oceanogr.* 8(suppl. 2):77–92.
- Green, M. and R. Green. 1990. Short-term impact of vessel traffic on the Hawaiian humpback whale (*Megaptera novaeangliae*). Report to the Animal Behavior Society, SUNY, Buffalo, NY.

- Greene, C.R.J. and S. E. Moore. 1995. Man-made Noise. Pp 101-158 in Marine Mammals and Noise. W.J. Richardson, C.R.J. Greene, C.I. Malme, and D.H. Thomson (ed.), Academic Press, San Deigo.
- Greenhorne & O'Mara, Inc. 2007. Sidescan Sonar Mapping of Potential Hard Bottom Areas in the Nearshore Zone of Bogue Banks, North Carolina. Contract No. W913HN-07-D-0010, Delivery Order 10 G&O Project Number 140338.T10.6480.GEO.
- Grimes, C.B., C.S. Manooch III, and G.R. Huntsman. 1982. Reef and Rock Outcropping Fishes of the Outer Continental Shelf of North Carolina and South Carolina, and Ecological Notes on the Red Porgy and Vermilion Snapper. *Bulletin of Marine Science* 32(1): 277-289.
- Grippio, M.A., S. Cooper, and A.G. Massey. 2007. Effect of Beach Replenishment Projects on Waterbird and Shorebird Communities. *Journal of Coastal Research* 23(5), 1088-1096.
- Hackney, C.T., L.B. Cahoon, C. Preziosi, and A. Norris. 2000. Silicon is the Link Between Tidal Marshes and Estuarine Fisheries: A New Paradigm. p. 543-552 in Weinstein, M.P. and D.A. Kreeger eds. *Concepts and Controversies in Tidal Marsh Ecology*. Kluwer Academic Publishers, The Netherlands, 875 pp.
- Hackney, C.T., M.H. Posey, S.W. Ross, and A.R. Norris. 1996. A review and synthesis of data on surf zone fishes and invertebrates in the South Atlantic Bight and the potential impacts from beach renourishment. UNC-Wilmington, Wilmington, NC, 111 pp. Prepared for: Wilmington District, US Army Corps of Engineers.
- Hague, E. and J. Massa. 2010. Benthic Characterization Survey and Grain Size Analysis of the Beaufort Inlet Ebb Tide Delta, Morehead City, Carteret County, North Carolina – Draft Report. Boynton Beach, Florida: Tetra Tech EC, Inc. 22 pp.
- Hague, E.A. and A. Carter. 2007. Town of Emerald Isle, North Carolina Bogue Inlet Channel Relocation Project, Summary of Macroinvertebrate/Infaunal 2006 Post-Construction Sampling Events. Boca Raton, Florida: Coastal Planning & Engineering, Inc. 10 pp. Prepared for the Town of Emerald Isle, NC.
- Hall, W. 2011. An Archaeological Remote Sensing and Target Identification Survey of Bogue Banks Offshore Borrow Areas Q2, Y1, and ODMDS, Carteret County, North Carolina. Prepared for Moffat and Nichol Engineers, Raleigh, NC.
- Hanson, H., and N.C. Kraus. 1989. GENESIS: Generalized Model for Simulating Shoreline Change. Report 1: Technical Reference. Tech. Rep. CERC-89-19, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

- Harrington, B.R. 2008. Coastal inlets as strategic habitat for shorebirds in the southeastern United States. DOER Technical Notes Collection. ERDC TN-DOER-E25. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Harrington, B.A. 2003. Shorebird management during the non-breeding season - an overview of needs, opportunities, and management concepts. Wader Study Group Bull. 100: 59-66.
- Harrington, B.A. 2001. Red knot (*Calidris canutus*). In: The birds of North America, No. 563 (ed. A. Poole & F. Gill). 1-32. Philadelphia: The Birds of North America.
- Hart, K.M. and D.S. Lee. 2006. The Diamondback Terrapin: The Biology, Ecology, Cultural History, and Conservation Status of an Obligate Estuarine Turtle. Studies in Avian Biology No. 32:206–213.
- Hay, M.E. and J.P. Sutherland. 1988. The Ecology of Rubble Structures of the South Atlantic Bight: A Community Profile. USFWS Biological Rep. 85(7.20), 67 pp.
- Hayden, B. and R. Dolan. 1974. Impact of beach nourishment on distribution of *Emerita talpoida*, the common mole crab. Journal of the American Waterways, Harbors, and Coastal Engineering Division; ASCE 100:WW2. pp. 123-132.
- Hayes, D. and P.Y. Wu. 2001. Simple approach to TSS source strength estimates. In Proceedings of the WEDA XXI Conference, Houston, TX, June 25-27, 2001.
- Hayes, D., T. Crockett, T. Ward, and D. Averett. 2000. Sediment resuspension during cutterhead dredging operations. Journal of Waterway, Port, Coastal, and Ocean Engineering 126(3):153–161.
- Hays, G.C., J.S. Ashworth, M.J. Barnsley, A.C. Broderick, D.R. Emery, B.J. Godley, and E.L. Jones. 2001. The importance of sand albedo for the thermal conditions on sea turtle nesting beaches. Oikos 93: 87-94.
- Hendrickson, J.R. 1982. Nesting behaviour of sea turtles with emphasis on physical and behavioural determinants of nesting success or failure. In: K.A. Bjorndal (ed.), Biology and Conservation of Sea Turtles. Washington, D.C.: Smithsonian Institution Press, pp. 53-57.
- Hemphill, L., S. King, E. Partee, and C. McCann. 2006. Short-Term Impact of Vessel Traffic on the Hawaiian Humpback Whale (*Megaptera novaeangliae*). The Ocean Mammal Institute.
- Heron, S.D., T.F. Moslow, W.M. Berelson, J.R. Herber, G.A. Steele, and K.R. Susman. 1984. Holocene Sedimentation of a Wave-dominated Barrier Shoreline: Cape Lookout, North Carolina. Marine Geology, 60, pg. 413.

- Herren, R.M. 1999. The effect of beach nourishment on loggerhead (*Caretta caretta*) nesting and reproductive success at Sebastian Inlet, Florida. Orlando, Florida: University of Central Florida, Master's Thesis.
- Hettler, W.F. and A.J. Chester. 1990. Temporal distribution of ichthyoplankton near Beaufort Inlet, North Carolina. Marine Ecology Progress Series 68: 157-168.
- Hildebrand, J.A. 2009. Anthropogenic and Natural Sources of Ambient Noise in the Ocean. Mar. Ecol. Prog. Ser. 395:5-20.
- Hildebrand, S.F. and W.C. Schroeder. 1972. Fishes of the Chesapeake Bay. Smithsonian Institution Press, Washington, DC, 388p.
- Hine, A.C. and S.W. Snyder. 1985. Coastal Lithosome Preservation: Evidence from the Shoreface and Inner Continental Shelf Off Bogue Banks, North Carolina. Marine Geology 63: 307-330.
- Holland Consulting Planners. 2006. Draft Town of Indian Beach CAMA Core Land Use Plan.
- Holland Consulting Planners. 2008a. Town of Atlantic Beach CAMA Core Land Use Plan.
- Holland Consulting Planners. 2008b. Town of Pine Knoll Shores CAMA Core Land Use Plan.
- Holloman, K.T. and M.H. Godfrey. 2008. Sea turtle monitoring project report, Bogue Banks, North Carolina, 2002-2007 final report. NC Wildlife Resources Commission.
- Hunter, W.C, W. Golder, S. Melvin and J. Wheeler. 2006. Southeast United States Regional Waterbird Conservation Plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- Huntsman, G.R. and C.S. Manooch III. 1978. Coastal Pelagic and Reef Fishes in the South Atlantic Bight. Marine Recreational Fisheries: 97-106.
- Hyland, J. L., W.L. Balthis, M. Posey, and C.T. Hackney. 2004. The soft-bottom macrobenthos of North Carolina estuaries. Estuaries 27(3): 501-514.
- Institute for Conservation Archaeology. 1979. A Summary and Analysis of Cultural Resource Information on the Continental Shelf from the Bay of Fundy to Cape Hatteras. 4 vols. Report submitted to the U.S. Dept. of the Interior, Bureau of Land Management, New York Outer Continental Shelf Office. Prepared by: Institute for Conservation Archaeology, Peabody Museum, Harvard University.
- James, M.C., S.A. Sherrill-Mix, K. Martin, and R.A. Myers. 2005. Canadian waters provide critical foraging habitat for leatherback sea turtles. Biological Conservation 133:347-357.

- Jensen, R.E. 2010. Wave Information Studies Project Documentation. US Army Engineer Waterways Experiment Station, Coastal Engineering Research Center, Vicksburg, MS.
- Jutte, P.C., R.F. Van Dolah, and M.V. Levisen. 1999a. An environmental monitoring study of the Myrtle Beach renourishment project: physical and biological assessment of offshore sand borrow site, Phase I—Cherry Grove borrow area. Final Report, prepared by the South Carolina Marine Resources Research Institute, South Carolina Marine Resources Division, Charleston, SC for the US Army Corps of Engineers, Charleston District.
- Jutte, P.C., R.F. Van Dolah, and M.V. Levisen. 1999b. An environmental monitoring study of the Myrtle Beach Renourishment Project: Intertidal benthic community assessment of Phase II, Myrtle Beach. Supplemental Report. Prepared for US Army Corps of Engineers, Charleston District. Marine Resources Division, South Carolina Department of Natural Resources, Charleston, SC.
- Kipple, B. and C. Gabriele. 2003. Glacier Bay Watercraft Noise. Technical Report NSWCCDE-71-TR-2003/522. Prepared for Glacier Bay National Park and Preserve, Naval Surface Warfare Center, Bremerton, WA.
- Kirby-Smith, W.W. 1989. The Community of Small Macroinvertebrates Associated with Rock Outcrops on the Continental Shelf of North Carolina. NOAA - National Undersea Research Program Report 89(2): 279-304.
- Koster, D., L. Sayigh, K. Urian, and A. Read. 2000. Evidence for Year-Round Residency and Extended Home Ranges by Bottlenose Dolphins in North Carolina. Abstracts, Eighth Annual Atlantic Coastal Dolphin Conference, 24-26 March 2000, Wilmington, NC.
- Knowlton, A., J. Ring, and B. Russell. 2002. Right whale sightings and survey effort in the mid-Atlantic region: migratory corridor, time frame, and proximity to port entrances. A report submitted to the NMFS Ship Strike Working Group.
- Laney, R.W., J.E. Hightower, B.R. Versak, M.F. Mangold, W.W. Cole Jr, and S.E. Winslow. 2007. Distribution, habitat use, and size of Atlantic sturgeon captured during cooperative winter tagging cruises, 1988–2006. *Am. Fish. Soc. Symp.* 56, 167–182.
- Lautier, J.C. 2009. Hydrogeologic framework and ground water conditions in the North Carolina Central Coastal Plain. North Carolina Department of Environment and Natural Resources, Division of Water Resources.
- Lawrence, R. 2007. Archaeological Investigations at Beaufort Inlet: A Summary of Submerged Cultural Resource Surveys and Investigations at Beaufort Inlet, North Carolina. QAR-R-07-02. Underwater Archaeology Branch, Kure Beach, NC.

- Larson, K.W. and C.E. Moehl. 1990. Entrainment of anadromous fish by hopper dredge at the mouth of the Columbia River. Pp. 102-112 in Effects of dredging on anadromous Pacific Coast fishes, C.A. Simenstad (ed.), Washington Sea Grant Program, University of Washington.
- LaSalle, M.W., D.G. Clarke, J. Homziak, J.D. Lutz, and T.J. Fredette. 1991. A framework for assessing the need for seasonal restrictions on dredging and disposal operations. Technical Report D-91-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Leber, K.M. 1982. Seasonality of Macroinvertebrates on a Temperate High Wave Energy Sand Beach. *Bulletin of Marine Science* 32: 86–98.
- Leidner, A.K. 2009. Butterfly conservation in fragmented landscapes. PhD dissertation, North Carolina State University.
- Limpus, C.J. 1971. Sea turtle ocean finding behaviour. *Search* 2(10): 385-387.
- Lindquist, D.G., I.E. Clavijo, L.B. Cahoon, S.K. Bolden, and S.W. Burk. 1989. Quantitative Diver Visual Surveys of Innershelf Natural and Artificial Reefs in Onslow Bay, NC: Preliminary Results for 1988 and 1989. pp. 219-227 in *Diving for Science*, Lang, M.A. and W.C. Jaap (eds.). American Academy for Underwater Sciences, Costa Mesa, California.
- Lindquist, D.G., M.V. Ogburn, W.B. Stanley, H.L. Troutman, and S.M. Pereira. 1985. Fish Utilization Patterns on Rubble-Mound Jetties in North Carolina. *Bulletin of Marine Science* 37: 244-251.
- Lindquist, N. and L. Manning. 2001. Impacts of Beach Nourishment and Beach Scraping on Critical Habitat and Productivity of Surf Fishes, Final Report.
- Luczkovich J.J., R.C. Pullinger, S.E. Johnson, and M.W. Sprague. 2008. Identifying sciaenid critical spawning habitats by the use of passive acoustics. *Transactions of the American Fisheries Society*. 2008;137(2):576–605.
- Luczkovich J.J., M.W. Sprague, S.E. Johnson, R.C. Pullinger, T. Jenkins, and M. Hutchinson. 1999. Characterization of critical spawning habitats of weakfish, spotted seatrout, and red drum in Pamlico Sound using hydrophone surveys; p. 128 pp.
- MacIntyre, I.G. 2003. A Classic Marginal Coral Environment: Tropical Coral Patches off North Carolina, USA. *Coral Reefs* 22: 474.
- MacIntyre, I.G. and O.H. Pilkey. 1969. Tropical Reef Corals: Tolerance of Low Temperatures on the North Carolina Continental Shelf. *Science* 166: 374-375.

- Mallin, M.A., L.B. Cahoon, and M.J. Durako. 2005. Contrasting food-web support bases for adjoining river-influenced and non-river influenced continental shelf ecosystems. *Estuarine, Coastal and Shelf Science* 62 (2005) 55–62.
- Manooch III, C. S. 1984. *Fisherman's guide - fishes of the southeastern United States*. North Carolina State Museum of Natural History, Raleigh, NC, 362 pp.
- Manooch III, C.S. and W.T. Hoggarth. 1983. Stomach Contents and Giant Trematodes of the Wahoo (*Acanthocybium solanderi*) Collected Along the South Atlantic and Gulf Coasts of the United States. *Bulletin of Marine Science* 33: 227-238.
- Marshall, J.A. 2004. *Event Driven Sediment Mobility on the Inner Continental Shelf of Onslow Bay, NC*. Master of Science Thesis, University of North Carolina Wilmington.
- Matsuzawa, Y., K. Sato, W. Sakamoto, and K.A. Bjorndal. 2002. Seasonal fluctuations in sand temperature: effects on the incubation period and mortality of loggerhead sea turtle (*Caretta caretta*) pre-emergent hatchlings in Minabe, Japan. *Marine Biology* 140: 639-646.
- McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M.N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhitya, J. Murdoch, and K. McCabe. 2000. Marine seismic surveys – a study of environmental implications. *APPEA Journal* 692-708. Internet website: <http://www.anp.gov.br/meio/guias/sismica/biblio/McCauley2000>.
- McGraw, K.A. and D.A. Armstrong. 1990. Fish entrainment by dredges in Grays Harbor, Washington. Pp. 113-131 in *Effects of dredging on anadromous Pacific Coast fishes*, C.A. Simenstad (ed.), Washington Sea Grant Program, University of Washington.
- McLellan, W.A., E. Meagher, L. Torres, G. Lovewell, C. Harper, K. Irish, B. Pike, and A.D. Pabst. 2003. Winter right whale sightings from aerial surveys of the coastal waters of the US mid-Atlantic. 15th Biennial Conference on the Biology of Marine Mammals.
- Melvin, S.M., C.R. Griffin, and L.H. MacIvor. 1991. Recovery strategies for piping plovers in managed coastal landscapes. *Coastal Management* 19:21-34.
- Michel, J., A.C. Bejarano, C.H. Peterson, and C. Voss. 2013. Review of biological and biophysical impacts from dredging and handling of offshore sand. OCS Study BOEM 2013-0119 Herndon, Virginia: U.S. Department of the Interior, Bureau of Ocean Energy Management.
- Miller, J.D., C.J. Limpus, and M.H. Godfrey. 2003. Nest site selection, oviposition, eggs, development, hatching, and emergence of loggerhead turtles. Pages 125-143 in Bolten,

- A.B. and B.E. Witherington (editors). *Loggerhead Sea Turtles*. Smithsonian Books, Washington D.C.
- Miller, D.C., C.L. Muir, and O.A. Hauser. 2002. Detrimental effects of sedimentation on marine benthos: What can be learned from natural processes and rates? *Ecological Engineering* 19(3):211-232.
- Miller, D.C., R.J. Geider, and H.L. MacIntyre. 1996. Microphytobenthos: the Ecological Role of the "Secret Garden" of Unvegetated, Shallow-Water Marine Habitats II. Role in Sediment Stability and Shallow-Water Food Webs. *Estuaries* 19(2A): 202-212.
- Miller, M.W. and M.E. Hay. 1996. Coral-Seaweed-Grazer-Nutrient Interactions on Temperate Reefs. *Ecological Monographs* 66(3): 323-344.
- Moffatt and Nichol. 2015. Unpublished data. Projected Bogue Inlet sediment volume change rates based on 2005 and 2009 hydrographic survey data. 23 September 2015. Prepared by Moffatt & Nichol for Dial Cordy and Associates Inc.
- Moffatt and Nichol. 2013. Bogue Banks Master Beach Nourishment Plan, Carteret County, NC, Draft Engineering Report. Prepared for: Carteret County Shore Protection Office. December 20, 2013.
- Moffatt and Nichol and Geodynamics. 2010. Bogue Banks Beach and Nearshore Mapping Program 2010 Final Report. Prepared for: Carteret County Shore Protection Office.
- Moir, R. 1979. A summary and analysis of cultural resource information on the continental shelf from the Bay of Fundy to Cape Hatteras, Vol. I—Physical environment. Institute for Conservation Archaeology, Peabody Museum, Boston.
- Morang, A., J.P. Waters, and D.K. Stauble. 2014. Performance of Submerged Prefabricated Structures to Improve Sand Retention at Beach Nourishment Projects. *Journal of Coastal Research* 30(6):1140-1156.
- Moser, M.L. and S.W. Ross. 1995. Habitat use and movements of shortnose and Atlantic sturgeon in the lower Cape Fear River, North Carolina. *Transactions of the American Fisheries Society* 124: 225-234.
- Moser, M.L. and B.L. Taylor. 1995. Hard bottom habitat in North Carolina state waters: a survey of available data. Final Report to NC Division of Coastal Management. Unpub. doc., 20 pp.

- Mrosovsky, N. 1995. Temperature and sex ratio. In: Bjorndal, K. (ed.) *Biology and Conservation of Sea Turtles*, revised edition. Smithsonian Institution Press, Washington, DC, pp. 597–598.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance of Cetaceans in the Southern U.S. North Atlantic Ocean during Summer 1998. *Fishery Bulletin* 101:603-613.
- National Marine Fisheries Service (NMFS). 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commer., NOAA. NOAA Technical Memorandum NMFS-OPR-55, 178 pp.
- NMFS. 2015. Biological Opinion on the Deepening of the Delaware River Federal Navigation Channel. National Marine Fisheries Service, Greater Atlantic Regional Fisheries Office
- NMFS. 2012a. Endangered and Threatened Wildlife and Plants; Threatened and Endangered Status for Distinct Population Segments of Atlantic Sturgeon in the Northeast Region. 77 FR 5880.
- NMFS. 2012b. Endangered and Threatened Wildlife and Plants; Final Listing Determinations for Two Distinct Population Segments of Atlantic Sturgeon (*Acipenser oxyrinchus oxyrinchus*) in the Southeast. 77 FR 5914.
- NMFS. 2012c. BOEM Authorization for Dredging of Gulf of Mexico Sand Mining ("Borrow") Areas Using Hopper Dredges for the Town of Longboat Key, Beach Renourishment Project. NMFS, Southeast Regional Office, St. Petersburg, Florida.
- NMFS. 2010a. Biological Opinion on the issuance of a permit (Number 14759) to Joseph Hightower, North Carolina Cooperative Fish and Wildlife Research Unit, for research on shortnose sturgeon in three North Carolina river basins (Chowan, Roanoke, and Cape Fear) and estuary (Albemarle Sound) pursuant to section IO(a)(1)(A) of the Endangered Species Act of 1973. National Marine Fisheries Service, Endangered Species Division of the Office of Protected Resources.
- NMFS. 2010b. Biological Opinion on the Wallops Island Shoreline Restoration and Infrastructure Protection Program. NMFS, Northeast Regional Office, Gloucester, MA.
- NMFS. 2010c. Recovery plan for the fin whale (*Balaenoptera physalus*). National Marine Fisheries Service, Silver Spring, MD.
- NMFS. 2005. Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*) - Revision. Silver Spring, Maryland: National Marine Fisheries Service.

- NMFS. 1998. Final recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS and U.S. Fish and Wildlife Service (USFWS). 2008. Recovery Plan for the Northwest Atlantic Population of the Loggerhead Sea Turtle (*Caretta caretta*), Second Revision. National Marine Fisheries Service, Silver Spring, MD and U.S. Fish and Wildlife Service. Atlanta, GA.
- NMFS and USFWS. 2007a. Green Sea Turtle (*Chelonia mydas*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, FL.
- NMFS and USFWS. 2007b. Kemp's Ridley Sea Turtle (*Lepidochelys kempii*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southwest Region, Albuquerque, NM.
- NMFS and USFWS. 2007c. Hawksbill Sea Turtle (*Eretmochelys imbricate*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, FL.
- NMFS and USFWS. 2007d. Leatherback Sea Turtle (*Dermochelys coriacea*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, FL.
- NMFS and USFWS. 1993. Recovery plan for hawksbill turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. St. Petersburg, Florida: National Marine Fisheries Service.
- NMFS and USFWS. 1991. Recovery plan for U.S. population of Atlantic green turtle. Washington, D.C.: National Marine Fisheries Service.
- National Research Council (NRC). 2003. Ocean Noise and Marine Mammals. NRC, Washington DC.
- Nelson, D.A. 1991. Issues associated with beach nourishment and sea turtle nesting. Proceedings of the Fourth Annual National Beach Preservation Technology Conference. Florida Shore and Beach Association, Tallahassee, FL, p. 277-294.

- Nelson, D.A. and D.D. Dickerson. 1988. Effects of beach nourishment on sea turtles. In L.S. Tait (ed.) Proceedings of the beach preservation technology conference. 1988. Florida Shore & Beach Preservation Association, Incorporated; Tallahassee, Florida.
- Nichols, M.M., G.S. Thompson, and R.W. Faas. 1978. A field study of fluid mud dredged material: its physical nature and dispersal. Technical Report D-78-40, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Noble, E.B. and R.J. Monroe. 1991. Classification of Pamlico Sound Nursery Areas: Recommendations for Critical Habitat Criteria. North Carolina Department of Environment, Health, and Natural Resources, Morehead City, NC, A/P Project No. 89-09, 70 pp.
- Normandeau Associates, Inc. (NAI). 2012. Effects of noise on fish, fisheries, and invertebrates in the U.S. Atlantic and Arctic from energy industry sound-generating activities. A workshop report for the U.S. Department of the Interior, Bureau of Ocean Energy Management. Contract # M11PC00031.
- North Carolina Department of Environment and Natural Resources (NCDENR). 2011. North Carolina Beach and Inlet Management Plan, Final Report.
- North Carolina Division of Air Quality. 2010. Annual Monitoring Network Plan for the North Carolina Division of Air Quality Volume 2, Site Descriptions by Metropolitan Statistical Area H. The Southern Coastal Plain Monitoring Region. Raleigh NC. July 2010.
- North Carolina Division of Marine Fisheries (NCDMF). 2008. North Carolina Oyster Fishery Management Plan Amendment II. NC Division of Marine Fisheries, Morehead City, NC, 282 pp.
- NCDMF. 1990. Justification for Submerged Aquatic Vegetation Critical Habitat Designation. NC Division of Marine Fisheries, Unpublished Report, 15 pp.
- North Carolina Division of Water Resources (NCDWR). 2012. NC Water Quality Classifications. Accessed February 2012. Available at: <http://portal.ncdenr.org/web/wq/ps/csu/classifications>.
- NCDWR. 2009. Central Coastal Plain Capacity Use Area Status Report 2009. North Carolina Department of Environment and Natural Resources, Division of Water Resources.
- North Carolina Division of Water Quality (NCDWQ). 2005. Basinwide Assessment Report, White Oak River Basin. April 2005. Division of Water Quality, Environmental Sciences Section, North Carolina Department of Environmental and Natural Resources.

- NC Natural Heritage Program (NCNHP). 2015. 2015 Biennial Report. NC Natural Heritage Program, Office of Land and Water Stewardship, NC Department of Environment and Natural Resources, Raleigh, NC.
- North Carolina Science Panel. 2015. Draft North Carolina Sea Level Rise Assessment Report. Update to the 2010 report and 2012 addendum. 31 March 2015. NC Coastal Resources Commission's Science Panel.
- North Carolina Wildlife Resources Commission (NCWRC). 2015a. NCWRC shorebird database, piping plover and red knot statewide data 2000-2014. Unpublished data provided by S. Schweitzer, NCWRC, Wildlife Diversity Program, Waterbird Investigations and Management Project, New Bern, NC.
- NCWRC. 2015b. North Carolina sea turtle nest data 2000-2014. Unpublished data provided by M. Godfrey, NCWRC Sea Turtle Project, Beaufort, NC.
- NCWRC. 2013. North Carolina Report of Boating Accidents and Fatalities 2013. NCWRC, Division of Enforcement, Raleigh, NC.
- Nowacek D, M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. Proceedings of the Royal Society of London. Series B. Biological Sciences 271: 227-231.
- Oakley, N.C. and J.E. Hightower. 2007. Status of shortnose sturgeon in the Neuse River, North Carolina. Pages 273–284 In: Munro, J., D. Hatin, J. Hightower, K. McKown, K.J. Sulak, A.W. Kahnle, and F. Caron (eds.). Anadromous sturgeons: habitats, threats, and management. American Fisheries Society, Symposium 56, Bethesda, Maryland.
- OMP (Office of Marine Programs). 2010. Discovery of Sound in the Sea, University of Rhode Island. Available at <http://www.dosits.org/>.
- Olsen, 2006. Regional Sand Transport Study: Morehead City Harbor Federal Navigation Project: Summary Report, Prepared for Carteret County Board of Commissioners, by Olsen Associates, Inc., Jacksonville, Florida, March 2006.
- Overton, M. and J. Fisher. 2005. North Carolina Coastal Highway Vulnerability, Final Report. NC State University, Department of Civil, Construction and Environmental Engineering. Prepared for the NC Department of Transportation.
- Parr, T., D. Diener, and L. Lacy. 1978. Effects of beach replenishment on the nearshore sand fauna at Imperial Beach, California. U.S. Army Corps of Engineers, CERC Misc. Rep. 78-4, 1-125.

- Parnell, J.F., W.W. Golder, and T.M. Henson. 1995. 1993 Atlas of Colonial Waterbirds of North Carolina Estuaries. University of North Carolina Sea Grant Program Publication UNC-SG-95-02, Raleigh, NC.
- Peckol, P. and R.B. Searles. 1984. Temporal and Spatial Patterns of Growth and Survival of Invertebrates and Algal Populations of a North Carolina Continental Shelf Community. *Estuarine, Coastal, and Shelf Science* 18: 133-143.
- Peterson, C.H., M.J. Bishop, L.M. D'Anna, and G.A. Johnson. 2014. Multi-year persistence of beach habitat degradation from nourishment using coarse shelly sediments. *STOTEN* 487:481–492
- Peterson, C.H., M.J. Bishop, G.A. Johnson, L.M. D'Anna, and L.M. Manning. 2006. Exploiting Beach Filling as an Unaffordable Experiment: Benthic Intertidal Impacts Propagating Upwards to Shore Birds. *Journal of Experimental Marine Biology and Ecology* 338: 205–221.
- Peterson, C.H., D.H.M. Hickerson, and G. Grissom Johnson. 2000. Short-term consequences of nourishment and bulldozing on the dominant large invertebrates of a sandy beach. *Journal of Coastal Research* 16: 368–378.
- Peterson, C.H. and J.T. Wells. 2000. Bogue Banks Beach Renourishment Project: Late Fall 1999 Assessment of Benthic Invertebrate and Demersal Fish Resources in the Offshore Mining Sites Prior to Sand Mining. Final Report to Carteret County and CSE Baird, Inc. 55 p. + appendices.
- Peterson, C.H., H.C. Summerson, H.S. Lenihan, J. Grabowski, S.P. Powers, and G.W. Sarfit Jr. 1999. Beaufort Inlet benthic resources survey. UNC-CH, Morehead City, NC, Final Report to the US Army Corps of Engineers. 18 pp.
- Peterson, C.H. and N.M. Peterson. 1979. The Ecology of Intertidal Flats of North Carolina: A Community Profile. U.S. Fish and Wildlife Service, OBS-79/39, 73 pp.
- Pietrafesa, L., G.S. Janowitz, and P.A. Wittman. 1985a. Physical Oceanographic Processes in the Carolina Capes, in: *Oceanography of the Southeastern U.S. Continental Shelf*, edited by: Atkinson, L. P., Menzel, D. W., and Bush, K. A., pp. 23–32, American Geophysical Union, Washington DC.
- Pietrafesa, L.J., J.O. Blanton, J.D. Wang, V. Kourafalou, T.N. Lee, and K.A. Bush. 1985b. The Tidal Regime in the South Atlantic Bight, in: *Oceanography of the Southeastern U.S. Continental Shelf*, edited by: Atkinson, L. P., Menzel, D. W., and Bush, K. A., pp. 63–76, American Geophysical Union, Washington DC.

- Popper, A.N. and M.C. Hastings. 2009. Review Paper: The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology* 75:455-489.
- Posey, M. and T. Alphin. 2002. Resilience and Stability in an Offshore Benthic Community: Responses to Sediment Borrow Activities and Hurricane Disturbance. *Journal of Coastal Research* 18(4): 685-697.
- Powell, A.B. and R.E. Robbins. 1998. Ichthyoplankton Adjacent to Live-Bottom Habitats in Onslow Bay, North Carolina. NOAA, Seattle, Washington, Tech. Rep. NMFS 133, 32p.
- Powell, A.B. and R.E. Robbins. 1994. Abundance and Distribution of Ichthyoplankton Along an Inshore-Offshore Transect in Onslow Bay, North Carolina. NOAA Technical Report, NMFS, U.S. Department of Commerce, 120, 1-28.
- Provancha, J.A. and L.M. Ehrhart. 1987. Sea turtle nesting trends at Kennedy Space Center and Cape Canaveral Air Force Station, Florida, and relationships with factors influencing nest site selection. Pages 33-44 in Witzell, W.N. (editor). *Ecology of East Florida Sea Turtles: Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop*. NOAA Technical Report NMFS-53.
- Quattro, J.M., T.W. Greig, D.K. Coykendall, B.W. Bowen, and J.D. Baldwin. 2002. Genetic issues in aquatic species management: the shortnose sturgeon (*Acipenser brevirostrum*) in the southeastern United States. *Conservation Genetics* 3: 155-166.
- Rakocinski, C.F., R.W. Heard, S.E. LeCroy, J.A. McLelland, and T. Simons. 1996. Responses by macrobenthic assemblages to extensive beach restoration at Perdido Key, Florida, U.S.A. *Journal of Coastal Research* 12(1):326-353.
- Reilly, F.J. Jr., and V.J. Bellis. 1978. A study of the ecological impact of beach nourishment with dredged materials on the intertidal zone. Institute for Coastal and Marine Resources, Technical Report No. 4.
- Reine, K. and D. Clarke. 1998. Entrainment by hydraulic dredges - A review of potential impacts. Army Engineer Waterways Experiment Station Vicksburg MS Environmental Lab, Technical Note DOER-E1.
- Reine, K.J., D. Clarke, C. Dickerson, and G. Wikel. 2014. Characterization of Underwater Sounds Produced by Trailing Suction Hopper Dredges during Sand Mining and Pump-out Operations. U.S. Department of the Interior, Bureau of Ocean Energy Management and U.S. Army Corps of Engineers. ERDC/EL TR 14-3, BOEM 2014-055. Herndon, VA, March 2014.

- Rice, E. and S. Cameron. 2008. Bogue Inlet Waterbird Monitoring and Management 2003-2008 Final Report. North Carolina Wildlife Resource Commission. Prepared for the Town of Emerald Isle. NC.
- Rosov, B. and D. York. 2009. Town of Emerald Isle, North Carolina Bogue Inlet Channel Erosion Response Project, Final Biotic Community Assessment Report. Wilmington, NC: Coastal Planning & Engineering of North Carolina, Inc. 33 pp. Prepared for the Town of Emerald Isle, North Carolina.
- Ross, S.W. 2003. The relative value of different estuarine nursery areas in North Carolina for transient juvenile marine fishes. *Fishery Bulletin* 101: 384-404.
- Ross, S.W. and J.E. Lancaster. 1996. Movements of Juvenile Fishes Using Surf Zone Nursery Habitats and the Relationship of Movements to Beach Nourishment Along a North Carolina Beach: Pilot Project. North Carolina National Estuarine Research Reserve, Wilmington, NC. Final report submitted to NOAA Office of Coastal Resource Management and the US Army Corps of Engineers, 31 pp.
- Ross, S.W. and S.P. Epperly. 1985. Chapter 10: Utilization of shallow estuarine nursery areas by fishes in Pamlico Sound and adjacent tributaries, North Carolina. p. 207-232 in A. YanezAranciba (ed.). *Fish Community Ecology in Estuaries and Coastal Lagoons: Towards and Ecosystem Integration*. DR (R) UNAM Press, Mexico, 654 pp.
- Ross, S.W., F.C. Rohde, and D.G. Lindquist. 1988. Endangered, threatened, and rare fauna of North Carolina, Part 2. A re-evaluation of the marine and estuarine fishes. North Carolina Biological Survey, Occasional Papers 1988-7, Raleigh, North Carolina.
- Rumbold, D.G., P.W. Davis, and C. Perretta. 2001. Estimating the effect of beach nourishment on (*Caretta caretta*) loggerhead sea turtle nesting. *Restoration Ecology*, 9(3): 304-310.
- Salmon, M., J. Wyneken, E. Fritz, and M. Lucas. 1992. Seafinding by hatchling sea turtles: role of brightness, silhouette and beach slope as orientation cues. *Behaviour* 122(1-2): 56-77.
- Salomon, C.H. and S.P. Naughton. 1984. Beach restoration with offshore dredged sand: effects on nearshore macroinfauna. NOAA Technical Memorandum, NMFS-SEFC (133). US Department of Commerce. NOAA, National Marine Fisheries Service, Southeast Fisheries Center: Panama City. 20 pp.
- Schafale, M.P. and A.S. Weakley. 1990. Classification of the Natural Communities of North Carolina, Third Approximation. North Carolina Natural Heritage Program, Office of Conservation and Community Affairs, Department of Environment and Natural Resources, Raleigh, NC.

- Science Applications, Inc. (SAI). 1981. A cultural resource survey of the continental shelf from Cape Hatteras to Key West. 4 vols. Report submitted to the U.S. Dept. of the Interior, Bureau of Land Management, New Orleans, LA.
- Schroeder, P.R. 2009. USACE Technical Guidelines for Practicing the 3R's of Environmental Dredging. Proceedings of the Western Dredging Association Twenty-ninth Technical Conference and 40th Annual Texas A&M Dredging Seminar, Tempe, AZ, June 2009.
- Schubel, J.R., H.H. Carter, R.E. Wilson, W.M. Wise, M.G. Heaton, and M.G. Gross. 1978. Field investigations of the nature, degree, and extent of turbidity generated by open-water pipeline disposal operations. Technical Report D-78-30, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Searcy, S., 2003. North Carolina State University, Email correspondence to Coastal Planning and Engineering regarding salinity and temperature data collected from the White Oak River, Highway 24, Swansboro from November 2002 to January 2003.
- Seaturtle.org. 2011. Sea turtle rehabilitation and necropsy database, North Carolina stranding reports. On-line: <http://www.seaturtle.org>.
- Settle, L. 2003. Assessment of potential larval entrainment mortality to hydraulic dredging of Beaufort Inlet. Prepared for USACE-Wilmington District for the Morehead City Harbor Environmental Assessment. May 2003. NOAA/NOS National Centers for Coastal Ocean Science.
- Shaw, J. 2002. The meltwater hypothesis for subglacial bedforms. Department of Earth and Atmospheric Sciences, University of Alberta, Edmonton, Alta., Canada T6G 2E3. Quaternary International (Impact Factor: 2.13). 04/2002; 90(1):5-22.
- NC State Historic Preservation Office (NCSHPO). 2012. North Carolina Listings in the National register of Historic Places as of 5/17/2012. Available on-line at: <http://www.hpo.ncdcr.gov/NR-PDFs.pdf>.
- NC State Historic Preservation Office (NCSHPO). 2010. Response to scoping request for information regarding known cultural resource sites in the vicinity of the Bogue Banks Master Beach Nourishment Plan study area.
- South Atlantic Fishery Management Council (SAFMC). 2009. Fishery Ecosystem Plan of the South Atlantic Region. SAFMC, Charleston, SC.
- SAFMC. 1998. Final Habitat Plan for the South Atlantic Region: Essential Fish Habitat Requirements for Fishery Management Plans of the South Atlantic Fishery Management Council. SAFMC, Charleston, SC.

- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, D. Kastak Jr., D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, and P.L. Tyack. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33(4):411-521.
- Southeast Area Monitoring and Assessment Program (SEAMAP-SA). 2001. South Atlantic Bight Hard Bottom Mapping. SEAMAP South Atlantic Bottom Mapping Workgroup, Charleston, South Carolina, 166 pp.
- SEAMAP-SA/SCMRD. 2000. SEAMAP-SA 10-Year Trawl Report: Results of Trawling Efforts in the Coastal Habitat of the South Atlantic Bight, FY 1990-1999. ASMFC, Special Tech. Rep. No. 71, 143 pp.
- Steinitz, M.J., M. Salmon, and J. Wyneken. 1998. Beach renourishment and loggerhead turtle reproduction: A seven year study at Jupiter Island, Florida. *Journal of Coastal Research* 14: 1000-1013.
- Stickney, R. 1972. Effects of Intracoastal Waterway Dredging on Ichthyofauna and Benthic Macro-Invertebrates. Technical Report Series. No 72-4. Skidaway Institute of Oceanography, Savannah, GA. July 1972 60 pp.
- Stickney, R.R. and D. Perlmutter. 1975. Impact of intracoastal waterway maintenance dredging on a mud bottom benthos community. *Biological Conservation* 7: 211–226.
- Stull, K.J., L.B. Cahoon, and T.E. Lankford. 2016. Zooplankton abundance in the surf zones of nourished and unnourished beaches in southeastern North Carolina, U.S.A. *Journal of Coastal Research*, 32(1): 70–77.
- Taggart, J.B. 1980. Fort Macon State Park Natural Area. Report compiled for the N.C. Division of Parks and Recreation. Raleigh, North Carolina.
- Taylor, J.C., W.A. Mitchell, J.A. Buckel, H.J. Walsh, K.W. Shertzer, G.B. Martin, and J.A. Hare. 2009. Relationships between Larval and Juvenile Abundance of Winter-Spawned Fishes in North Carolina, USA. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 1: 11-20.
- Thayer, G.W., W.J. Kenworthy, and M.S. Fonseca. 1984. The Ecology of Eelgrass Meadows of the Atlantic coast: A Community Profile. U.S. Fish and Wildlife Service, FWS/OBS-84/02, 147p.
- Thomsen, F., S.R. McCully, D. Wood, P. White, and F. Page. 2009. A generic investigation into noise profiles of marine dredging in relation to the acoustic sensitivity of the marine fauna in UK waters: PHASE 1 Scoping and review of key issues. Aggregates Levy Sustainability Fund/Marine Environmental Protection Fund, Lowestoft, UK.

- Thorpe, T., C.F. Jensen, and M.L. Moser. 2003. Relative abundance and reproductive characteristics of sharks in southeastern North Carolina coastal waters. *Bulletin of Marine Science* (in press).
- Town of Emerald Isle. 2004. 2004 CAMA Land Use Plan (as amended through 2008).
- TRC Environmental Corporation. 2012. Inventory and analysis of archaeological site occurrence on the Atlantic outer continental shelf. U.S. Dept. of the Interior, Bureau of Ocean Energy, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study BOEM 2012-008. 324 pp.
- U.S. Army Corps of Engineers (USACE). 2016a. Morehead City Harbor, Morehead City, NC, Final Integrated Dredged Material Management Plan and Environmental Impact Statement. US Army Corps of Engineers, Wilmington District. June 2016.
- USACE. 2016b. Sea Turtle Protection and Data Warehouse. Available at: <http://el.erdc.usace.army.mil/seaturtles/>.
- USACE. 2014a. Final Integrated Feasibility Report and Environmental Impact Statement, Coastal Storm Damage Reduction, Bogue Banks, Carteret County, North Carolina. U.S. Army Corps of Engineers, Wilmington District. August 2014.
- USACE. 2014b. 2014 seabeach amaranth (*Amaranthus pumilus*) survey. USACE, Wilmington District. September 2014.
- USACE. 2014c. Section 7(a)(2) and 7(d) Endangered Species Act Jeopardy Analysis of the Effect on Atlantic Sturgeon of Navigation Channel Maintenance Dredging and Dredging of Offshore Borrow Sources for Beach Sand Placement on the South Atlantic Coast (21 April 2014). USACE, South Atlantic Division, Atlanta, GA.
- USACE. 2010. Benthic Characterization Survey and Grain Size Analysis of the Beaufort Inlet Ebb Tide Delta, Morehead City, Carteret County, North Carolina – Final Report. Prepared by Tetra Tech EC, Inc., Boynton Beach, Florida for U.S. Army Corps of Engineers, Wilmington District.
- USACE. 2009. Environmental Assessment, Morehead City Harbor, North Carolina, Interim Operations Plan. USACE, Wilmington District, Wilmington, North Carolina.
- USACE. 2008. South Atlantic Regional Biological Assessment (SARBA) for Dredging Activities in the Coastal Waters, Navigation Channels [including designated Ocean Dredged Material Disposal Sites (ODMDS)], and Sand Mining Areas in the South Atlantic Ocean. U.S. Army Corps of Engineers, South Atlantic Division. September 2008.

- USACE. 2003. Evaluation report and finding of no significant impact, Morehead City Harbor Section 933. Carteret County, North Carolina. U.S. Army Corps of Engineers, Wilmington District, South Atlantic Division. August 2003.
- USACE. 2001. Section 111 Report, Morehead City Harbor/Pine Knoll Shores, North Carolina, Prepared by United States Army Corps of Engineers, Wilmington District, Wilmington, North Carolina, June 2001.
- USACE. 1988. Environmental Assessment and Finding of No Significant Impact for Maintenance Dredging of the Channel to Bogue Inlet, Atlantic Intracoastal Waterway (AIWW) Side Channel and the Bogue Inlet Crossing of the AIWW Section I, (Tangent G), Carteret and Onslow Counties, North Carolina.
- US Census Bureau. 2010a. US Census 2010 Demographic Profile Data. Available online at: factfinder2.census.gov.
- US Census Bureau. 2010b. American Community Survey 2006-2010. Available online at: factfinder2.census.gov.
- US Environmental Protection Agency (USEPA) and U.S. Army Corps of Engineers (USACE). 2010. Site Monitoring and Management Plan for the Morehead City Ocean Dredged Material Disposal Site (ODMDS), February 2010.
- U.S. Fish and Wildlife Service (USFWS). 2015a. Statewide Programmatic Biological Opinion (Revised) for the U.S. Army Corps of Engineers (Corps) planning and regulatory shore protection activities in Florida. 27 February 2015. South Florida Ecological Services Field Office, Vero Beach, FL.
- USFWS. 2015b. North Carolina seabeach amaranth survey data 1987-2014. Compiled by Dale Suiter, USFWS, Raleigh Ecological Services Field Office, Raleigh, NC.
- USFWS. 2014. Rufa red knot background information and threats assessment. Supplement to endangered and threatened wildlife and plants; final threatened status for the rufa red knot (*Calidris canutus rufa*). Docket No. FWS-R5-ES-2013-0097; RIN AY17. New Jersey Field Office; Pleasantville, New Jersey.
- USFWS. 2011. Abundance and productivity estimates: Atlantic Coast piping plover population, 1986-2009. Sudbury, Massachusetts.
- USFWS. 2009a. Piping plover (*Charadrius melodus*) 5-year review: summary and evaluation. U.S. Fish and Wildlife Service, Hadley, Massachusetts.

- USFWS. 2009b. West Indian Manatee (*Trichechus manatus*) Florida Stock Florida subspecies (*Trichechus manatus latirostris*) Draft (5/18/09). U.S. Fish and Wildlife Service, Jacksonville, FL.
- USFWS. 2005. Seabeach Amaranth (*Amaranthus pumilus*) 5-Year Review: Summary and Evaluation. U.S. Fish and Wildlife Service, Raleigh Ecological Services Field Office, Raleigh, NC.
- USFWS. 2003. Recovery Plan for the Great Lakes Piping Plover (*Charadrius melodus*). Fort Snelling, Minnesota.
- USFWS. 2002. Draft Fish and Wildlife Coordination Act Report, Bogue Banks Shore Protection Project, Carteret County, North Carolina. USFWS, Raleigh Ecological Services Field Office.
- USFWS. 2001. Florida Manatee Recovery Plan, (*Trichechus manatus latirostris*), Third Revision. U.S. Fish and Wildlife Service. Atlanta, GA.
- USFWS. 1996. Piping Plover (*Charadrius melodus*), Atlantic Coast Population, Revised Recovery Plan. U.S. Fish and Wildlife Service, Hadley, MA.
- United States Travel Association. 2010. The Economic Impact of Travel on North Carolina Counties 2010. Prepared for the North Carolina Division of Tourism, Film and Sports Development.
- Van Dolah, R.F., R.M. Martore, A.E. Lynch, P.H. Wendt, M.V. Levisen, D.J. Whitaker, and W.D. Anderson. 1994. Final Report. Environmental evaluation of the Folly Beach nourishment project. South Carolina Department of Natural Resources, Marine Resources Division, Charleston SC. Prepared for the United States Army Corps of Engineers, Charleston District, Charleston, SC.
- Van Dolah, R.F., P.H. Wendt, R.M. Martore, M.V. Levisen, and W.A. Roumillat. 1992. A physical and biological monitoring study of the Hilton Head beach nourishment project. Marine Resources Research Institute, South Carolina Marine Resources Division, Charleston, S.C. 159 pp.
- Van Dolah, R.F., D.R. Calder, and D.M. Knott. 1984. Effects of dredging and open water disposal on benthic macroinvertebrates in a South Carolina estuary. *Estuaries* 7:28-37.
- Van Dolah, R.F., D.R. Calder, D.M. Knott, and M.S. Maclin. 1979. Effects of dredging and unconfined disposal of dredged material on macrobenthic communities in Sewee Bay, South Carolina. South Carolina Mar. Res. Center Tech. Rep. No. 39. 54 pp.

- Weakley, A.S. and M.A. Bucher. 1992. Status survey of seabeach amaranth (*Amaranthus pumilus* Rafinesque) in North and South Carolina. Report to the North Carolina Plant Conservation Program, and Endangered Species Field Office. 178 pp.
- Weinstein, M.P. 1979. Shallow marsh habitats as primary nurseries for fishes and shellfish, Cape Fear River, NC. Fisheries Bulletin 2: 339-357.
- Wibbels, T. 2003. Critical approaches to sex determination in sea turtles. In: Biology of Sea Turtles, Vol. II (Eds. Lutz, P.L., J.A. Musick, and J. Wyneken) pp. 103-134. Boca Raton: CRC Press.
- Wiegert, R.G. and B.J. Freeman. 1990. Tidal Salt Marshes of the Southeast Atlantic Coast: A Community Profile. U.S. Fish and Wildlife Service Biological Report 85(7.29): 71.
- Wilber, D., D. Clarke, G. Ray, and R.V. Dolah. 2009. Lessons learned from biological monitoring of beach nourishment projects. In Fortieth Texas A&M Dredging Seminar. Tempe, Arizona.
- Wilber, D.H. and D.G. Clarke. 2007. Defining and Assessing Benthic Recovery Following Dredging and Dredged Material Disposal. Proceedings XXVII World Dredging Congress 2007, Orlando, Florida.
- Wilber, D.H., W. Brostoff, D.G. Clarke, and G.L. Ray. 2005. Sedimentation: Potential biological effects from dredging operations in estuarine and marine environments. DOER Technical Notes Collection (ERDC TN-DOER-E20). Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Wilber, D.H., D.G. Clarke, G.L. Ray, and M. Burlas. 2003. Response of surf zone fish to beach nourishment operations on the northern coast of New Jersey, USA. Marine Ecology Progress Series. Vol. 250: 231-246.
- Wilde-Ramsing, M.U. 2009. Archaeological Investigations at the Queen Anne's Revenge Site. Queen Anne's Revenge Shipwreck Project Research Report and Bulletin Series, QAR-R-09-03, North Carolina Department of Cultural Resources, Raleigh, NC.
- Wille, P.C. and D. Geyer. 1984. Measurements on the origin of the wind-dependent ambient noise variability in shallow water. J. Acoust. Soc. Am.
- Willey, G.R. 1966. An Introduction to American Archaeology, Volume I. Prentice-Hall, Inc., Englewood Cliffs.
- Wirgin, I., C. Grunwald, E. Carlson, J. Stabile, D.L. Peterson, and J. Waldman. 2005. Range-wide population structure of shortnose sturgeon, (*Acipenser brevirostrum*), based on

sequence analysis of the mitochondrial DNA control region. *Estuaries* Vol. 28(3): 406-421.

Witherington, B.E. 1997. The problem of photopollution for sea turtles and other nocturnal animals. Pages 303-328 in Clemmons, J.R. and R. Buchholz (editors). *Behavioral Approaches to Conservation in the Wild*. Cambridge University Press, Cambridge, United Kingdom.

Witherington, B.E. and R.E. Martin. 2003. *Understanding, Assessing, and Resolving Light-Pollution Problems on Sea Turtle Nesting Beaches*. Third edition revised 2003. Florida Marine Research Institute Technical Report. Technical Report TR-2.

Wood, D.W. and K.A. Bjorndal. 2000. Relation of temperature, moisture, salinity, and slope to nest site selection in loggerhead sea turtles. *Copeia* 2000(1):119-128.