

7.0 REFERENCES

- Alvarez-Aleman, A., C.A. Beck, and J.A. Powell. 2010. First report of a Florida Manatee (*Trichechus manatus latirostris*) in Cuba. *Aquatic Mammals* 36(2), 148-153.
- Applied Technology and Management (ATM). 2014. Holden Beach Annual Beach Monitoring Report. Prepared for Town of Holden Beach, North Carolina.
- ATM. 2013a. Holden Beach Annual Beach Monitoring Report. Prepared for Town of Holden Beach, North Carolina.
- ATM. 2013b. Holden Beach East End Shore Protection Project Engineering and Modeling Report. Prepared for Town of Holden Beach, North Carolina and submitted to the U.S. Army Corps of Engineers Wilmington District.
- Armstrong, J.L., and J.E. Hightower. 1999. Movement, habitat selection, and growth of early juvenile Atlantic sturgeon in Albemarle Sound, North Carolina. Final Report to U.S. Fish and Wildlife Service and Virginia Power. North Carolina Cooperative Fish and Wildlife Research Unit, NC State University, Raleigh, NC.
- Atlantic Sturgeon Status Review Team (ASSRT). 2007. Status Review of Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). Report to National Marine Fisheries Service, Northeast Regional Office. February 23, 2007.
- Barco, S.G., W.A. McLellan, J.M. Allen, R.A. Asmutis-Silva, R. Mallon-Day, E.M. Meagher, D.A. Pabst, J. Robbins, R.E. Seton, W.M. Swingle, M.T. Weinrich, and P.J. Clapham. 2002. Population Identity of Humpback Whales (*Megaptera novaeangliae*) in Waters of the US Mid-Atlantic States. *J. Cetacean Res. Manage.* 4(2):135-141.
- Bass, A.L. 1994. Population structure of hawksbill rookeries in the Caribbean and western Atlantic. Page 17 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351.
- Beacham, W. 1994. Seabeach amaranth, *Amaranthus pumilus*. Pages 1653-1655 in *The Official World Wildlife Fund guide to endangered species of North America*. Volume 4: Species listed December 1991 to July 1994. Washington, D.C.: Beacham Publishing, Inc.
- Beck, C. 2006. Florida manatee travels to Cape Cod, Massachusetts. *Sirennews* 46:15-16.
- Bolam, S.G., H.L. Rees, P. Somerfield, R. Smith, K.R. Clarke, R.M. Warwick, M. Atkins and E. Garnacho. 2006. Ecological consequences of dredged material disposal in the marine environment: A holistic assessment of activities around the England and Wales coastline. *Marine Pollution Bulletin* 52(4):415-426.

- Bolten, A.B., K.A. Bjorndal, and H.R. Martins. 1994. Biology of pelagic-stage loggerheads in the Atlantic. Pages 19-20 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351.
- Burke, V.J., E.A. Standora, and S.J. Morreale. 1991. Factors affecting strandings of cold-stunned juvenile Kemp's ridley and loggerhead sea turtles in Long Island, New York. *Copeia* 1991(4):1136-1138.
- Burkhead, N.M. and R.E. Jenkins. 1991. Fishes. Pages 321-410 in Terwilliger, K., ed. Virginia's endangered species: Proceedings of a symposium. Blacksburg, Virginia: The McDonald and Woodward Publishing Company.
- Burlas, M., G.L. Ray, and D.G. Clarke. 2001. The New York District's biological monitoring program for the Atlantic coast of New Jersey, Asbury Park to Manasquan section beach erosion control project. Final report. U.S. Army Corps of Engineers (USACE) New York District.
- Brown, S.G. 1986. Twentieth-century records of right whales (*Eubalaena glacialis*) in the northeast Atlantic Ocean. Reports of the International Whaling Commission (Special Issue 10):121-127.
- Byrd, B.L., A.A. Hohn, G.N. Lovewell, K.M. Altman, S.G. Barco, A. Friedlaender, C.A. Harms, W.A. McLellan, K.T. Moore, P.E. Rosel, and V.G. Thayer. 2014. Strandings as indicators of marine mammal biodiversity and human interactions off the coast of North Carolina. *Fishery Bulletin* 112:1-23.
- Caldwell, D.K. 1968. Baby loggerhead turtles associated with *Sargassum* weed. *Quarterly Journal of the Florida Academy of Sciences* 31(4):271-272.
- Cameron, S.E. 2009. The 2006 International Piping Plover Winter Census in North Carolina. In: Elliott-Smith, E., S. M. Haig, and B. M. Powers (eds.) Data from the 2006 International Piping Plover Census, U.S. Geological Survey Data Series 426.
- Cameron, S. 2007. North Carolina Wildlife Resource Commission, Waterbird Biologist. Personal communication regarding piping plover habitat preferences.
- Cameron, S., D.H. Allen, M.M. Lyons, J.R. Cordes, and S.B. Maddock. 2006. Compilation and Assessment of Piping Plover Wintering and Migratory Staging Area Data in North Carolina. In: Rabon, D.R. (compiler). Proceedings of the Symposium on the Wintering Ecology and Conservation of Piping Plovers. U.S. Fish and Wildlife Service, Raleigh, NC.
- Cape Fear River Partnership. 2013. Cape Fear River Basin action plan for migratory fish. Cape Fear River Partnership.
- Carr, A. 1986. Rips, FADS, and little loggerheads. *BioScience* 36(2):92-100.
- Carr, A. 1987. New perspectives on the pelagic stage of sea turtle development. *Conservation Biology* 1(2):103-121.

- Cetacean and Turtle Assessment Program (CETAP). 1982. Characterization of marine mammals and turtles in the Mid- and North Atlantic areas of the U.S. Outer Continental Shelf- Final report of the Cetacean and Turtle Assessment Program. Prepared for U.S. Bureau of Land Management, Washington, D.C. by Cetacean and Turtle Assessment Program, University of Rhode Island, Graduate School of Oceanography, Kingston, Rhode Island. Contract AA551-CT8-48.
- Charif, R.A., P.J. Clapham, and C.W. Clark. 2001. Acoustic detections of singing humpback whales in deep waters off the British Isles. *Marine Mammal Science* 17(4):751-768.
- Churchill, J.H., R.B. Forward, R.A. Luetlich, J.L. Hench, W.F. Hettler, L.B. Crowder, and B.O. Blanton. 1999. Circulation and larval fish transport within a tidally dominated estuary. *Fisheries Oceanography* 8: 173-189.
- Clapham, P.J. 2009. Humpback whale *Megaptera novaeangliae*. Pages 582-585 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. Academic Press, San Diego, California.
- Clapham, P.J. and J.G. Mead. 1999. *Megaptera novaeangliae*. *Mammalian Species* 604:1-9.
- Clapham, P.J., S.B. Young, and R.L. Brownell, Jr. 1999. Baleen whales: Conservation issues and the status of the most endangered populations. *Mammal Review* 29(1):35-60.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy, and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Canadian Journal of Zoology* 71:440-443.
- Clark, C.W., M.W. Brown, and P. Corkeron. 2010. Visual and acoustic surveys for North Atlantic right whales, *Eubalaena glacialis*, in Cape Cod Bay, Massachusetts, 2001–2005: Management implications. *Marine Mammal Science* 26(4):837-854.
- Clarke, D. and Wilbur. 2000. Assessment of potential impacts of dredging operations due to sediment resuspension. DTIC, ERDC TN-DOER-E9. 14 pp.
- Clarke, D., C. Dickerson, and K. Reine. 2002. Characterization of underwater sounds produced by dredges. U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Cleary, W. 2008. Overview of Oceanfront Shorelines: Cape Lookout to Sunset Beach, NC. Report prepared for Moffat & Nichol.
- Cleary and Knierim. 2001. Turbidity and suspended sediment characterizations: Nixon Channel dredging and beach rebuilding, Figure Eight Island, NC. Report submitted to Figure Eight Beach Homeowners Association, Figure Eight Island, NC, 33p.

- Coen, L.D., R.D. Brumbaugh, D. Bushek, R. Grizzle, M.W. Luckenbach, M.H. Posey, S.P. Powers, and S.G. Tolley. 2007. Ecosystem Services Related to Oyster Restoration. Marine Ecology Progress Series 341: 303-307.
- Cohen, J.B., S.M. Karpanty, J.D. Fraser, and B.R. Truitt. 2010. The effect of benthic prey abundance and size on red knot (*Calidris canutus*) distribution at an alternative migratory stopover site on the US Atlantic Coast. Journal of Ornithology 151:355-364.
- Cohen, J.B., E.H. Wunker, and J.D. Fraser. 2008. Substrate and vegetation selection by nesting Piping Plovers. Wilson Journal of Ornithology 120(2):404-407.
- Cole, T.V.N., P. Hamilton, A.G. Henry, P. Duley, R.M. Pace III, B.N. White, and T. Frasier. 2013. Evidence of a North Atlantic right whale *Eubalaena glacialis* mating ground. Endangered Species Research 21:55-64.
- Collins, M.R. and T.I.J. Smith. 1997. Distributions of shortnose and Atlantic sturgeons in South Carolina. North American Journal of Fisheries Management 17:995-1000.
- Coulter, M.C., J.A. Rodgers, J.C. Ogden, and F.C. Depkin. 1999. Wood stork (*Mycteria americana*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology. Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/409>.
- Coyne, M.S., M.E. Monaco, and A.M. Landry, Jr. 2000. Kemp's ridley habitat suitability index model. Page 60 in Abreu-Grobois, F.A., R. Briseño-Dueñas, R. Márquez-Millán, and L. Sarti-Martínez, eds. Proceedings of the Eighteenth International Sea Turtle Symposium. NOAA Technical Memorandum NMFS-SEFSC-436.
- Cummings, E.W., D.A. Pabst, J.E. Blum, S.G. Barco, S.J. Davis, V.G. Thayer, N. Adimey, and W.A. McLellan. 2014. Spatial and temporal patterns of habitat use and mortality of the Florida manatee (*Trichechus manatus latirostris*) in the mid-Atlantic states of North Carolina and Virginia from 1991 to 2012. Aquatic Mammals 40(2):126-138.
- Dawbin, W.H. 1966. The seasonal migratory cycle of humpback whales. Pages 145-170 in Norris, K.S., ed. Whales, dolphins, and porpoises. University of California Press, Berkeley, California.
- Deaton, A.S., W.S. Chappell, K. Hart, J. O'Neal, and B. Boutin. 2010. North Carolina Coastal Habitat Protection Plan. North Carolina Department of Environment and Natural Resources, NCDMF.
- Department of the Navy (DoN). 2008a. Marine resources assessment update for the Charleston/Jacksonville operating area. Final report. Prepared for Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia, by Geo-Marine, Inc., Plano, Texas.
- DoN. 2008b. Marine resources assessment update for the Cherry Point operating area. Final report. Prepared for Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginia, by Geo-Marine, Inc., Plano, Texas.

- Diaz, H. 1980. The mole crab *Emerita talpoida* (say): A case study of changing life history pattern. *Ecological Monographs* 50(4):437–456.
- Diez, C.E., X. Vélez-Zuazo, and R.P. Van Dam. 2003. Hawksbill turtles in seagrass beds. *Marine Turtle Newsletter* 102:8-10.
- Dinsmore, S.J., J.A. Collazo, and J.R. Walters. 1998. Seasonal Numbers and Distribution of Shorebirds on North Carolina's Outer Banks. *Wilson Bull.* 110: 171-18.
- Dodd, C.K. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). *Biological Report* 88(14). Washington, D.C.: U.S. Fish and Wildlife Service.
- Dodge, K.L., B. Galuardi, T.J. Miller, and M.E. Lutcavage. 2014. Leatherback turtle movements, dive behavior, and habitat characteristics in ecoregions of the Northwest Atlantic Ocean. *PLoS ONE* 9(3):e91726.
- Durako, M.J., P. Kowalczyk, M.A. Mallin, W.J. Cooper, J.J. Souza, and D.H. Wells. 2010. Interannual Variation in Photosynthetically Significant Optical Properties and Water Quality in a Coastal Blackwater River Plume. *Estuaries and Coasts* 33(6), 1430-1441
- eBird. 2014. eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: <http://www.ebird.org>. Accessed 3 November 2014.
- Eckert, K.L. and F.A. Abreu-Grobois, eds. 2001. *Proceedings: Marine turtle conservation in the Wider Caribbean Region: A dialogue for effective regional management.* Santo Domingo, Dominican Republic.
- Ehrhart, L.M., D.A. Bagley, and W.E. Redfoot. 2003. Loggerhead turtles in the Atlantic Ocean: Geographic distribution, abundance, and population status. Pages 157-174 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles.* Washington, D.C.: Smithsonian Institution Press.
- Ellis, C.L. and H. Vogelsong. 2005. A Comparison of Visitors and Residents on Motivations for Visiting North Carolina Recreational Beaches. *Proceedings of the 14th Biennial Coastal Zone Conference New Orleans, Louisiana, July 17 to 21, 2005.*
- Epperly, S.P., J. Braun, A.J. Chester, E.A. Cross, J.V. Merriner, and P.A. Tester. 1995a. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. *Bull. Mar. Sci.* 56: 547-568.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995b. Sea turtles in North Carolina waters. *Conservation Biology* 9: 384-394.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995c. Aerial surveys for sea turtles in North Carolina inshore waters. *Fishery Bulletin* 93: 254-261.
- Erbe C. 2002. Underwater Noise of Whale-Watching Boats and Potential Effects on Killer Whales (*Orcinus orca*), based on an acoustic impact model. *Mar Mamm Sci* 18: 394–418

- Ersts, P.J. and H.C. Rosenbaum. 2003. Habitat preference reflects social organization of humpback whales (*Megaptera novaeangliae*) on a wintering ground. *Journal of Zoology*, London 260:337-345.
- Federal Emergency Management Agency and State of North Carolina. 2003. Flood Insurance Study: A Report of Flood Hazards in Carteret County, North Carolina and Incorporated Areas. Flood Insurance Study Number 37031CV000A.
- Ferguson, R.L. and L.L. Wood. 1994. Rooted Vascular Aquatic Beds in the Albemarle-Pamlico Estuarine System. NMFS, NOAA, Beaufort, NC, Project No. 94-02, 103p.
- Firestone, J., S.B. Lyons, C. Wang, and J.J. Corbett. 2008. Statistical modeling of North Atlantic right whale migration along the mid-Atlantic region of the eastern seaboard of the United States. *Biological Conservation* 141:221-232.
- Florida Fish and Wildlife Conservation Commission (FFWC). 2014. Manatee synoptic surveys. Accessed 20 September 2014. <http://myfwc.com/research/manatee/projects/population-monitoring/synoptic-surveys/>.
- Fraser, S.B. and G.R. Sedberry. 2008. Reef Morphology and Invertebrate Distribution at Continental Shelf Edge Reefs in the South Atlantic Bight. *Southeastern Naturalist* 7(2): 191-206.
- Geo-Marine Inc. (GMI). 2010. Ocean/Wind power ecological baseline studies January 2008 - December 2009. Final report. Trenton, New Jersey: Department of Environmental Protection, Office of Science.
- Gilbert, C.R. 1992. Shortnose sturgeon (*Acipenser brevirostrum*), Family Acipenseridae, Order Acipenseriformes. Pages 15-21 in Gilbert, C.R., ed. Rare and endangered biota of Florida. Volume 2: Fishes. Gainesville, Florida: University Press of Florida.
- Gillings, S., P.W. Atkinson, A.J. Baker, K.A. Bennett, N.A. Clark, K.B. Cole, P.M. González, K.S. Kalasz, C.D.T. Minton, L.J. Niles, R.C. Porter, I. De Lima Serrano, H.P. Sitters, and J.L. Woods. 2009. Staging behavior in Red Knot (*Calidris canutus*) in Delaware Bay: Implications for monitoring mass and population size. *Auk* 126(1):54-63.
- Godcharles, M.F. and M.D. Murphy. 1986. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (South Florida) - King Mackerel and Spanish Mackerel. U.S. Fish Wildlife Service/U.S. Army Corps of Engineers, Biol. Rep. 82(11.58)/TR EL-82-4, 18p.
- Goodman, M.A., J.B. McNeill, E. Davenport, and A.A. Hohn. 2007. Protected species aerial survey data collection and analysis in waters underlying the R-5306A Airspace: Final report submitted to U.S. Marine Corps, MCAS Cherry Point. NOAA Technical Memorandum NMFSSEFSC-551.
- Grant, G.S. and D. Ferrell. 1993. Leatherback turtle, *Dermodochelys coriacea* (Reptilia: Dermochelidae): Notes on near-shore feeding behavior and association with cobia. *Brimleyana* 19:77-81.

- Griffin, D., S. Murphy, M. Frick, A. Broderick, J. Coker, M. Coyne, M. Dodd, M. Godfrey, B. Godley, L. Hawkes, T. Murphy, K. Williams, and M. Witt. 2013. Foraging habitats and migration corridors utilized by a recovering subpopulation of adult female loggerhead sea turtles: Implications for conservation. *Marine Biology* 160(12):3071-3086.
- Grimes, C.B., C.S. Manooch III, and G.R. Huntsman. 1982. Reef and Rock Outcropping Fishes of the Outer Continental Shelf of North Carolina and South Carolina, and Ecological Notes on the Red Porgy and Vermilion Snapper. *Bulletin of Marine Science* 32(1): 277-289.
- Grippio, M.A., S. Cooper, and A.G. Massey. 2007. Effect of Beach Replenishment Projects on Waterbird and Shorebird Communities. *Journal of Coastal Research* 23(5), 1088-1096.
- Hackney, C.T., L.B. Cahoon, C. Preziosi, and A. Norris. 2000. Silicon is the Link Between Tidal Marshes and Estuarine Fisheries: A New Paradigm. p. 543-552 in Weinstein, M.P. and D.A. Kreeger eds. *Concepts and Controversies in Tidal Marsh Ecology*. Kluwer Academic Publishers, The Netherlands, 875 p.
- Hackney, C.T., M.H. Posey, S.W. Ross, and A.R. Norris. 1996. A review and synthesis of data on surf zone fishes and invertebrates in the South Atlantic Bight and the potential impacts from beach renourishment. UNC-Wilmington, Wilmington, NC, 111p. Prepared for Wilmington District, US Army Corps of Engineers.
- Hague, E. and J. Massa. 2010. Benthic Characterization Survey and Grain Size Analysis of the Beaufort Inlet Ebb Tide Delta, Morehead City, Carteret County, North Carolina – Draft Report. Boynton Beach, Florida: Tetra Tech EC, Inc. 22 pp.
- Hain, J.H.W., M.A.M. Hyman, R.D. Kenney, and H.E. Winn. 1985. The role of cetaceans in the shelf-edge region of the northeastern United States. *Marine Fisheries Review* 47(1):13-17.
- Hall, W. 2011. An Archaeological Remote Sensing and Target Identification Survey of Bogue Banks Offshore Borrow Areas Q2, Y1, and ODMS, Carteret County, North Carolina. Prepared for Moffat and Nichol Engineers, Raleigh, NC.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science* 18(4):920-937.
- Hamilton, P.K. and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts Bays, 1978-1986. *Reports of the International Whaling Commission (Special Issue 12):203-208*.
- Hamilton, P.K., R.D. Kenney, and T.V.N. Cole. 2009. Right whale sightings in unusual places. *Right Whale News* 17(1):9-10.
- Hawkes, L.A., A.C. Broderick, M.S. Coyne, M.H. Godfrey, and B.J. Godley. 2007. Only some like it hot--Quantifying the environmental niche of the loggerhead sea turtle. *Diversity and Distributions* 13:447-457.

- Hawkes, L.A., M.J. Witt, A.C. Broderick, J.W. Coker, M.S. Coyne, M. Dodd, M.G. Frick, M.H. Godfrey, D.B. Griffin, S.R. Murphy, T.M. Murphy, K.L. Williams, and B.J. Godley. 2011. Home on the range: Spatial ecology of loggerhead turtles in Atlantic waters of the USA. *Diversity and Distributions* 17(4):624-640.
- Hay, M.E. and J.P. Sutherland. 1988. The Ecology of Rubble Structures of the South Atlantic Bight: A Community Profile. USFWS Biological Rep. 85(7.20), 67 p.
- Hayes, D. and P.Y. Wu. 2001. Simple approach to TSS source strength estimates. In Proceedings of the WEDA XXI Conference, Houston, TX, June 25-27, 2001.
- Hayes, D., T. Crockett, T. Ward, and D. Averett. 2000. Sediment resuspension during cutterhead dredging operations. *Journal of Waterway, Port, Coastal, and Ocean Engineering* 126(3):153-161.
- Henwood, T.A. and L.H. Ogren. 1987. Distribution and migrations of immature Kemp's ridley turtles (*Lepidochelys kempii*) and green turtles (*Chelonia mydas*) off Florida, Georgia, and South Carolina. *Northeast Gulf Science* 9(2):153-159.
- Hernandez, K. 2014. Protecting beaches and sea turtles: An analysis of beach nourishment in North Carolina, the impacts on nesting loggerhead sea turtles, and how sea level rise will transform the status quo. Master's thesis, Duke University.
- Hettler, W.F. and A.J. Chester. 1990. Temporal distribution of ichthyoplankton near Beaufort Inlet, North Carolina. *Marine Ecology Progress Series* 68: 157-168.
- Hildebrand, J.A. 2009. Anthropogenic and Natural Sources of Ambient Noise in the Ocean. *Mar. Ecol. Prog. Ser.* 395:5-20.
- Holloman, K.T. and M.H. Godfrey. 2008. Sea turtle monitoring project report, Bogue Banks, North Carolina, 2002-2007 final report. NC Wildlife Resources Commission.
- Holloway-Adkins, K. and J. Provancha. 2005. Abundance and foraging activity of marine turtles using nearshore rock resources along the mid reach of Brevard County, Florida. Prepared for Olsen Associates, Inc., Jacksonville, Florida by Dynamac Corporation, Cape Canaveral, Florida.
- Hopkins-Murphy, S.R., D.W. Owens, and T.M. Murphy. 2003. Ecology of immature loggerheads on foraging grounds and adults in internesting habitat in the eastern United States. Pages 79-92 in Bolten, A.B. and B.E. Witherington, eds. *Loggerhead sea turtles*. Washington, D.C.: Smithsonian Institution Press.
- Huntsman, G.R. and C.S. Manooch III. 1978. Coastal Pelagic and Reef Fishes in the South Atlantic Bight. *Marine Recreational Fisheries*: 97-106.
- Imperial, M.T., K. Fischer, J. Peleuses, and C. Pickett. 2009. Town of Holden Beach 2009 CAMA land use plan. Holden Beach, North Carolina: Prepared for Cape Fear Council of Governments by Town of Holden Beach.

- International Whaling Commission (IWC). 2001. Report of the Workshop on the Comprehensive Assessment of Right Whales: A worldwide comparison. *Journal of Cetacean Research and Management (Special Issue 2)*:1-60.
- Jacobsen, K.O., M. Marx, and N. Øien. 2004. Two-way trans-Atlantic migration of a North Atlantic right whale (*Eubalaena glacialis*). *Marine Mammal Science* 20(1):161-166.
- James, M.C., S.A. Sherrill-Mix, K. Martin, and R.A. Myers. 2006. Canadian waters provide critical foraging habitat for leatherback sea turtles. *Biological Conservation* 133:347-357.
- Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2008. *Marine mammals of the world: A comprehensive guide to their identification*. San Diego, California: Academic Press.
- Jensen, R.E. 2010. Wave Information Studies Project Documentation. US Army Engineer Waterways Experiment Station, Coastal Engineering Research Center, Vicksburg, MS.
- Keinath, J.A., J.A. Musick, and W.M. Swingle. 1991. First verified record of the hawksbill sea turtle (*Eretmochelys imbricata*) in Virginia waters. *Catesbeiana* 11(2):35-38.
- Keinath, J.A., J.A. Musick, and D.E. Barnard. 1996. Abundance and distribution of sea turtles off North Carolina. OCS Study MMS 95-0024 New Orleans, Louisiana: Minerals Management Service.
- Kenney, R.D. 2001. Anomalous 1992 spring and summer right whale (*Eubalaena glacialis*) distributions in the Gulf of Maine. *Journal of Cetacean Research and Management (Special Issue 2)*:209-223.
- Kenney, R.D. and H.E. Winn. 1986. Cetacean high-use habitats of the northeast United States continental shelf. *Fishery Bulletin* 84(2):345-357.
- Kenney, R.D., H.E. Winn, and M.C. Macaulay. 1995. Cetaceans in the Great South Channel, 1979-1989: Right whale (*Eubalaena glacialis*). *Continental Shelf Research* 15:385-414.
- Kipple, B. and C. Gabriele. 2003. Glacier Bay Watercraft Noise. Technical Report NSWCCDE-71-TR-2003/522. Prepared for Glacier Bay National Park and Preserve, Naval Surface Warfare Center, Bremerton, WA.
- Kipple, B. and C. Gabriele. 2004. Glacier Bay Watercraft Noise - Noise Characterization for Tour, Charter, Private, and Government Vessels. Technical Report NSWCCDE-71-TR-2004/545. Prepared for Glacier Bay National Park and Preserve, Naval Surface Warfare Center, Bremerton, WA.
- Kirby-Smith, W.W. 1989. The Community of Small Macroinvertebrates Associated with Rock Outcrops on the Continental Shelf of North Carolina. NOAA - National Undersea Research Program Report 89(2): 279-304.
- Knowlton, A., J. Ring, and B. Russell. 2002. Right whale sightings and survey effort in the mid-Atlantic region: migratory corridor, time frame, and proximity to port entrances. A report submitted to the NMFS Ship Strike Working Group.

- Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J.N. Ciano. 1993. Endangered right whales of the southwestern North Atlantic. OCS Study MMS 93-0024. Herndon, Virginia: Minerals Management Service.
- Kynard, B. 1997. Life history, latitudinal patterns, and status of the shortnose sturgeon, *Acipenser brevirostrum*. *Environmental Biology of Fishes* 48(1-4):319-334.
- Laist, D.W., C. Taylor, and J.E. Reynolds III. 2013. Winter habitat preferences for Florida manatees and vulnerability to cold. *PLoS ONE* 8(3):e58978.
- Landry, A.M., Jr. and D. Costa. 1999. Status of sea turtle stocks in the Gulf of Mexico with emphasis on the Kemp's ridley. Pages 248-268 in Kumpf, H., K. Steidinger, and K. Sherman, eds. *The Gulf of Mexico large marine ecosystem: Assessment, sustainability, and management*. Malden, Massachusetts: Blackwell Science.
- Landry, C.E. 2011. Coastal erosion as a natural resource management problem: An economic perspective. *Coastal Management*, 39(3), 259-281.
- Landry, C.E. and P. Hindsley. 2011. Valuing beach quality with hedonic property models. *Land Economics*, 87(1), 92-108.
- Laney, R.W., J.E. Hightower, B.R. Versak, M.F. Mangold, W.W. Cole Jr, S.E. Winslow. 2007. Distribution, habitat use, and size of Atlantic sturgeon captured during cooperative winter tagging cruises, 1988–2006. *Am. Fish. Soc. Symp.* 56, 167–182.
- Larson, K.W. and C.E. Moehl. 1990. Entrainment of anadromous fish by hopper dredge at the mouth of the Columbia River. Pp. 102-112 in *Effects of dredging on anadromous Pacific Coast fishes*, C.A. Simenstad (ed.), Washington Sea Grant Program, University of Washington.
- LaSalle, M.W., D.G. Clarke, J. Homziak, J.D. Lunz, and T.J. Fredette. 1991. A framework for assessing the need for seasonal restrictions on dredging and disposal operations. Technical Report D-91-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Leber, K.M. 1982. Seasonality of Macroinvertebrates on a Temperate High Wave Energy Sand Beach. *Bulletin of Marine Science* 32: 86–98.
- Lee, D.S. and W.M. Palmer. 1981. Records of leatherback turtles, *Dermochelys coriacea* (Linnaeus), and other marine turtles in North Carolina waters. *Brimleyana* 5:95-106.
- Lefebvre, L.W., M. Marmontel, J.P. Reid, G.B. Rathbun, and D.P. Domning. 2001. Status and biogeography of the West Indian manatee. Pages 425-474 in Woods, C.A. and F.E. Sergile, eds. *Biogeography of the West Indies: Patterns and perspectives*, 2d ed. Boca Raton, Florida: CRC Press.
- Lefebvre, L.W., J.P. Reid, W.J. Kenworthy, and J.A. Powell. 2000. Characterizing Manatee habitat use and seagrass grazing in Florida and Puerto Rico: Implications for conservation and management. *Pacific Conservation Biology* 5:289-298.

- LeGrand, H. 2013. Wood stork - *Mycteria americana* in Birds of North Carolina: Their distribution and abundance. Accessed 2 November 2014. <http://www.carolinabirdclub.org/ncbirds/accounts.php>.
- Lindquist, D.G., I.E. Clavijo, L.B. Cahoon, S.K. Bolden, and S.W. Burk. 1989. Quantitative Diver Visual Surveys of Innershelf Natural and Artificial Reefs in Onslow Bay, NC: Preliminary Results for 1988 and 1989. pp. 219-227 in Diving for Science, Lang, M.A. and W.C. Jaap (eds.). American Academy for Underwater Sciences, Costa Mesa, California.
- Lindquist, D.G., M.V. Ogburn, W.B. Stanley, H.L. Troutman, and S.M. Pereira. 1985. Fish Utilization Patterns on Rubble-Mound Jetties in North Carolina. *Bulletin of Marine Science* 37: 244-251.
- Lindquist, N. and L. Manning. 2001. Impacts of Beach Nourishment and Beach Scraping on Critical Habitat and Productivity of Surf Fishes, Final Report.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. *Copeia* 1985(2):449-456.
- MacIntyre, I.G. 2003. A Classic Marginal Coral Environment: Tropical Coral Patches Off North Carolina, USA. *Coral Reefs* 22: 474.
- MacIntyre, I.G. and O.H. Pilkey. 1969. Tropical Reef Corals: Tolerance of Low Temperatures on the North Carolina Continental Shelf. *Science* 166: 374-375.
- Manning, L.M., C.H. Peterson, and S.R. Fegley. 2013. Degradation of surf-fish foraging habitat driven by persistent sedimentological modifications caused by beach nourishment. *Bulletin of Marine Science* 89(1):83-106.
- Manooch III, C. S. and W.T. Hoggarth. 1983. Stomach Contents and Giant Trematodes of the Wahoo (*Acanthocybium solanderi*) Collected Along the South Atlantic and Gulf Coasts of the United States. *Bulletin of Marine Science* 33: 227-238.
- Manzella, S., J. Williams, B. Schroeder, and W. Teas. 1991. Juvenile head-started Kemp's ridleys found in floating grass mats. *Marine Turtle Newsletter* 52:5-6.
- Marquez-M., R., compiler. 1994. Synopsis of biological data on the Kemp's ridley turtle, *Lepidochelys kempi* (Garman, 1880). NOAA Technical Memorandum NMFS-SEFSC-343:1-91.
- McCall, P.L. 1977. Community patterns and adaptive strategies the infaunal benthos of Long Island Sound. *Journal of Marine Research* 35(2):221-267.
- McConnaughey, J.L., J.D. Fraser, S.D. Coutu, and J.P. Loegering. 1990. Piping plover distribution and reproductive success on Cape Lookout National Seashore. Unpublished report to the National Park Service. 83 pp.

- McGraw, K.A. and D.A. Armstrong. 1990. Fish entrainment by dredges in Grays Harbor, Washington. Pp. 113-131 in Effects of dredging on anadromous Pacific Coast fishes, C.A. Simenstad (ed.), Washington Sea Grant Program, University of Washington.
- Mendonça, M.T. 1983. Movements and feeding ecology of immature green turtles (*Chelonia mydas*) in a Florida lagoon. *Copeia* 1983(4):1013-1023.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the state of Florida, 1979-1992. Florida Marine Research Publications No. 52. St. Petersburg, Florida: Florida Department of Natural Resources.
- Miller, D.C., C.L. Muir and O.A. Hauser. 2002. Detrimental effects of sedimentation on marine benthos: What can be learned from natural processes and rates? *Ecological Engineering* 19(3):211-232.
- Miller, D.C., R.J. Geider, and H.L. MacIntyre. 1996. Microphytobenthos: the Ecological Role of the "Secret Garden" of Unvegetated, Shallow-Water Marine Habitats II. Role in Sediment Stability and Shallow-Water Food Webs. *Estuaries* 19(2A): 202-212.
- Mitchell, G.H., R.D. Kenney, A.M. Farak, and R.J. Campbell. 2002. Evaluation of occurrence of endangered and threatened marine species in Naval ship trial areas and transit lanes in the Gulf of Maine and offshore of Georges Bank. NUWC-NPT Technical Memorandum 02-121 Newport, Rhode Island: Naval Undersea Warfare Division.
- Morreale, S.J. and E.A. Standora. 2005. Western North Atlantic waters: Crucial developmental habitat for Kemp's ridley and loggerhead sea turtles. *Chelonian Conservation and Biology* 4(4):872-882.
- Morreale, S.J., P.T. Plotkin, D.J. Shaver, and H.J. Kalb. 2007. Adult migration and habitat utilization: Ridley turtles in their element. Pages 213-229 in Plotkin, P., ed. *Biology and conservation of ridley sea turtles*. Baltimore, Maryland: Johns Hopkins University Press.
- Moser, M. L. and S. W. Ross. 1995. Habitat use and movements of shortnose and Atlantic sturgeon in the lower Cape Fear River, North Carolina. *Transactions of the American Fisheries Society* 124: 225-234.
- Mrosovsky, N. 1980. Thermal biology of sea turtles. *American Zoologist* 20(3):531-547.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration of juvenile sea turtles. Pages 137-163 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Mussoline, S.E., D. Risch, L.T. Hatch, M.T. Weinrich, D.N. Wiley, M.A. Thompson, P.J. Corkeron, and S.M. Van Parijs. 2012. Seasonal and diel variation in North Atlantic right whale up-calls: implications for management and conservation in the northwestern Atlantic Ocean. *Endangered Species Research* 17:17-26.

- National Marine Fisheries Service (NMFS) and U.S. Fish and Wildlife Service (USFWS). 2008. Recovery Plan for the Northwest Atlantic Population of the Loggerhead Sea Turtle (*Caretta caretta*), Second Revision. National Marine Fisheries Service, Silver Spring, MD and U.S. Fish and Wildlife Service. Atlanta, GA.
- NMFS and USFWS. 2007a. Leatherback Sea Turtle (*Dermochelys coriacea*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, FL.
- NMFS and USFWS. 2007b. Hawksbill Sea Turtle (*Eretmochelys imbricate*) 5-Year Review: Summary and Evaluation. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, FL.
- NMFS and USFWS. 1993. Recovery plan for hawksbill turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. St. Petersburg, Florida: National Marine Fisheries Service.
- NMFS and USFWS. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. Washington, D.C.: National Marine Fisheries Service.
- NMFS and USFWS. 1991. Recovery plan for U.S. population of Atlantic green turtle. Washington, D.C.: National Marine Fisheries Service.
- NMFS. 2010. Biological Opinion on the issuance of a permit (Number 14759) to Joseph Hightower, North Carolina Cooperative Fish and Wildlife Research Unit, for research on shortnose sturgeon in three North Carolina river basins (Chowan, Roanoke, and Cape Fear) and estuary (Albemarle Sound) pursuant to section IO(a)(1)(A) of the Endangered Species Act of 1973. National Marine Fisheries Service, Endangered Species Division of the Office of Protected Resources.
- NMFS. 2006a. Final environmental assessment and regulatory impact review, Regulatory Flexibility Act analysis of sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. Gloucester, Massachusetts: National Marine Fisheries Service.
- NMFS. 2006b. Draft smalltooth sawfish recovery plan (*Pristis pectinata*). Prepared by the Smalltooth Sawfish Recovery Team. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS. 2005. Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*) -Revision. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS. 2003. Endangered and threatened species; Final endangered status for a distinct population segment of smalltooth sawfish (*Pristis pectinata*) in the United States. Federal Register 68(62):15674-15680.

- NMFS. 2000. Sea turtle conservation; restrictions applicable to shrimp trawl activities; Leatherback Conservation Zone--Temporary rule. Federal Register 65(102):33779-33780.
- NMFS. 1998. Final recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS. 1995. Sea turtle conservation; restrictions applicable to shrimp trawl activities; leatherback conservation zone. Federal Register 60(178):47713-47715.
- National Research Council. 2003. Ocean Noise and Marine Mammals. NRC, Washington DC.
- Nichols, O.C., R.D. Kenney, and M.W. Brown. 2008. Spatial and temporal distribution of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, and implications for management. Fishery Bulletin 106(3):270-280.
- Niles, L.J., J. Burger, R.R. Porter, A.D. Dey, S. Koch, B. Harrington, K. Iaquinto, and M. Boarman. 2012. Migration pathways, migration speeds and non-breeding areas used by northern hemisphere wintering Red Knots *Calidris canutus* of the subspecies *rufa*. Wader Study Group Bulletin 119(3):1-9.
- Niles, L.J., H.P. Sitters, A.D. Dey, P.W. Atkinson, A.J. Baker, K.A. Bennett, R. Carmona, K.E. Clark, N.A. Clark, C. Espoz, P.M. González, B.A. Harrington, D.E. Hernández, K.S. Kalasz, R.G. Lathrop, R.N. Matus, C.D.T. Minton, R.I.G. Morrison, M.K. Peck, W. Pitts, R.A. Robinson, and I. L. Serrano. 2008. Status of the Red Knot, *Calidris canutus rufa*, in the Western Hemisphere. Studies Avian Biol. 36: 1-185.
- Normandeau Associates, Inc. (NAI). 2012. Effects of noise on fish, fisheries, and invertebrates in the U.S. Atlantic and Arctic from energy industry sound-generating activities. A workshop report for the U.S. Department of the Interior, Bureau of Ocean Energy Management. Contract # M11PC00031.
- North Carolina Department of Environment and Natural Resources (NCDENR). 2011. North Carolina Beach and Inlet Management Plan, Final Report.
- North Carolina Division of Air Quality. 2010. Annual Monitoring Network Plan for the North Carolina Division of Air Quality Volume 2, Site Descriptions by Metropolitan Statistical Area H. The Southern Coastal Plain Monitoring Region. Raleigh NC. July 2010.
- North Carolina Division of Marine Fisheries (NCDMF). 2008. North Carolina Oyster Fishery Management Plan Amendment II. NC Division of Marine Fisheries, Morehead City, NC, 282p.
- NCDMF. 2000. Red Drum Fishery Management Plan. DMF, Morehead City, NC, 106p.
- NCDMF. 1990. Justification for Submerged Aquatic Vegetation Critical Habitat Designation. NC Division of Marine Fisheries, Unpublished Report, 15p.

- North Carolina Division of Water Quality. 2012. NC Water Quality Classifications. Accessed February 2012. Available on line at <http://portal.ncdenr.org/web/wq/ps/csu/classifications>.
- North Carolina Natural Heritage Program (NCNHP). 2014. Biotics database. Office of Land and Water Stewardship. Department of Environment and Natural Resources, Raleigh, North Carolina.
- North Carolina Wildlife Resources Commission. 2013. North Carolina Report of Boating Accidents and Fatalities 2013. NCWRC, Division of Enforcement, Raleigh, NC.
- Oakley, N.C. and J.E. Hightower. 2007. Status of shortnose sturgeon in the Neuse River, North Carolina. Pages 273–284 In: Munro, J., D. Hatin, J. Hightower, K. McKown, K.J. Sulak, A.W. Kahnle, and F. Caron (eds.). Anadromous sturgeons: habitats, threats, and management. American Fisheries Society, Symposium 56, Bethesda, Maryland.
- O'Herron, J.C., K.W. Able, and R.W. Hastings. 1993. Movements of shortnose sturgeon (*Acipenser brevirostrum*) in the Delaware River. *Estuaries* 16(2):235-240.
- Oliver, J.S., P.N. Slattery, L.W. Hulberg and J.W. Nybakken. 1977. Patterns of succession in benthic infaunal communities following dredging and dredged material disposal in Monterey Bay. U.S. Army Engineer Waterways Experiment Station (USEWES), Vicksburg, MS. Technical Report D-77-27.
- Parker, L.G. 1995. Encounter with a juvenile hawksbill turtle offshore Sapelo Island, Georgia. *Marine Turtle Newsletter* 71:19-22.
- Parnell, J.F., W.W. Golder, and T.M. Henson. 1995. 1993 Atlas of Colonial Waterbirds of North Carolina Estuaries. University of North Carolina Sea Grant Program Publication UNC-SG-95-02, Raleigh, NC.
- Patrician, M.R., I.S. Biedron, H.C. Esch, F.W. Wenzel, L.A. Cooper, P.K. Hamilton, A.H. Glass, and M.F. Baumgartner. 2009. Evidence of a North Atlantic right whale calf (*Eubalaena glacialis*) born in northeastern U.S. waters. *Marine Mammal Science* 25(2):462-477.
- Peckol, P. and R.B. Searles. 1984. Temporal and Spatial Patterns of Growth and Survival of Invertebrates and Algal Populations of a North Carolina Continental Shelf Community. *Estuarine, Coastal, and Shelf Science* 18: 133-143.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The great whales: History and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. *Marine Fisheries Review* 61(1):1-74.
- Peterson, C.H. and N.M. Peterson. 1979. The Ecology of Intertidal Flats of North Carolina: A Community Profile. U.S. Fish and Wildlife Service, OBS-79/39, 73 p.
- Peterson, C.H., M.J. Bishop, G.A. Johnson, L.M. D'Anna, and L.M. Manning. 2006. Exploiting Beach Filling as an Unaffordable Experiment: Benthic Intertidal Impacts Propagating Upwards to Shore Birds. *Journal of Experimental Marine Biology and Ecology* 338: 205–221.

- Peterson, C.H., H.C. Summerson, H.S. Lenihan, J. Grabowski, S.P. Powers, and G.W. Sarfit Jr. 1999. Beaufort Inlet Benthic Resources Survey. UNC-CH, Morehead City, NC, Final Report to the US Army Corps of Engineers. 18p.
- Peterson, C., G. Monahan, and F. Schwartz. 1985. Tagged green turtle returns and nests again in North Carolina. *Marine Turtle Newsletter* 35:5-6.
- Pettis, H. 2013. North Atlantic Right Whale Consortium 2013 annual report card. Report to the North Atlantic Right Whale Consortium, November 2013.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The great whales: History and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. *Marine Fisheries Review* 61(1):1-74.
- Plotkin, P.T., ed. 1995. National Marine Fisheries Service and U.S. Fish and Wildlife Service status reviews for sea turtles listed under the Endangered Species Act of 1973. Silver Spring, Maryland: National Marine Fisheries Service.
- Popper, A.N. and M.C. Hastings. 2009. Review Paper: The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology* 75:455-489.
- Posey, M. and T. Alphin. 2002. Resilience and Stability in an Offshore Benthic Community: Responses to Sediment Borrow Activities and Hurricane Disturbance. *Journal of Coastal Research* 18(4): 685-697.
- Powell, A.B. and R.E. Robbins. 1998. Ichthyoplankton Adjacent to Live-Bottom Habitats in Onslow Bay, North Carolina. NOAA, Seattle, Washington, Tech. Rep. NMFS 133, 32p.
- Powell, A.B. and R.E. Robbins. 1994. Abundance and Distribution of Ichthyoplankton Along an Inshore-Offshore Transect in Onslow Bay, North Carolina. NOAA Technical Report, NMFS, U.S. Department of Commerce, 120, 1-28.
- Prescott, R. 2000. Sea turtles in New England waters. *Conservation Perspectives: The on-line journal of NESCB*.
- Prieto, R., D. Janiger, M.A. Silva, G.T. Waring, and J.M. Gonçalves. 2011. The forgotten whale: a bibliometric analysis and literature review of the North Atlantic sei whale *Balaenoptera borealis*. *Mammal Review* 42: 235–272. doi: 10.1111/j.1365-2907.2011.00195.x.
- Quattro, J.M., T.W. Greig, D.K. Coykendall, B.W. Bowen, and J.D. Baldwin. 2002. Genetic issues in aquatic species management: the shortnose sturgeon (*Acipenser brevirostrum*) in the southeastern United States. *Conservation Genetics* 3: 155-166.
- Rabon, D.R., Jr., S.A. Johnson, R. Boettcher, M. Dodd, M. Lyons, S. Murphy, S. Ramsey, S. Roff, and K. Stewart. 2003. Confirmed leatherback turtle (*Dermochelys coriacea*) nests from North Carolina, with a summary of leatherback nesting activities north of Florida. *Marine Turtle Newsletter* 101:4-8.

- Rakocinski, C.F., R.W. Heard, S.E. LeCroy, J.A. McLelland, and T. Simons. 1996. Responses by macrobenthic assemblages to extensive beach restoration at Perdido Key, Florida, U.S.A. *Journal of Coastal Research* 12(1):326-353.
- Reeves, R.R. and E. Mitchell. 1988. History of whaling in and near North Carolina. NOAA Technical Report NMFS 65:1-28.
- Reilly, F.J. Jr., and V.J. Bellis. 1978. A study of the ecological impact of beach nourishment with dredged materials on the intertidal zone. Institute for Coastal and Marine Resources, Technical Report No. 4.
- Reine, K. and D. Clarke. 1998. Entrainment by hydraulic dredges - A review of potential impacts. Army Engineer Waterways Experiment Station Vicksburg MS Environmental Lab, Technical Note DOER-E1.
- Renaud, M.L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). *Journal of Herpetology* 29:370-374.
- Renaud, M.L. and J.A. Williams. 2005. Kemp's ridley sea turtle movements and migrations. *Chelonian Conservation and Biology* 4(4):808-816.
- Reynolds III, J.E. and D.K. Odell, eds. 1991. Marine mammal strandings in the United States: Proceedings of the Second Marine Mammal Stranding Workshop, Miami, Florida, 3-5 December 1987. NOAA Technical Report NMFS 98:1-157.
- Rice, E. and S. Cameron. 2008. Bogue Inlet Waterbird Monitoring and Management 2003-2008 Final Report. North Carolina Wildlife Resource Commission. Prepared for the Town of Emerald Isle. NC.
- Roberts, M.A., C.J. Anderson, B. Stender, A. Segars, J.D. Whittaker, J.M. Grady, and J.M. Quattro. 2005. Estimated contribution of Atlantic coastal loggerhead turtle nesting populations to offshore feeding aggregations. *Conservation Genetics* 6:133-139.
- Ross, S.W. and J.E. Lancaster. 1996. Movements of Juvenile Fishes Using Surf Zone Nursery Habitats and the Relationship of Movements to Beach Nourishment Along a North Carolina Beach: Pilot Project. North Carolina National Estuarine Research Reserve, Wilmington, NC. Final report submitted to NOAA Office of Coastal Resource Management and the US Army Corps of Engineers, 31 p.
- Ross, S.W., F.C. Rohde, and D.G. Lindquist. 1988. Endangered, threatened, and rare fauna of North Carolina, Part 2. A re-evaluation of the marine and estuarine fishes. North Carolina Biological Survey, Occasional Papers 1988-7, Raleigh, North Carolina.
- Schafale, M.P. and A.S. Weakley. 1990. Classification of the Natural Communities of North Carolina, Third Approximation. North Carolina Natural Heritage Program, Office of Conservation and Community Affairs, Department of Environment and Natural Resources, Raleigh, NC.

- Schick, R.S., P.N. Halpin, A.J. Read, C.K. Slay, S.D. Kraus, B.R. Mate, M.F. Baumgartner, J.J. Roberts, B.D. Best, C.P. Good, S.R. Loarie, and J.S. Clark. 2009. Striking the right balance in right whale conservation. *Canadian Journal of Fisheries and Aquatic Sciences* 66:1399-1403.
- Schmid, J.R. and W.J. Barichivich. 2006. *Lepidochelys kempii* - Kemp's ridley. Pages 128-141 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Schroeder, B.A. and N.B. Thompson. 1987. Distribution of the loggerhead turtle, *Caretta caretta*, and the leatherback turtle, *Dermochelys coriacea*, in the Cape Canaveral, Florida area: Results of aerial surveys. Pages 45-53 in Witzell, W.N., ed. Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop. NOAA Technical Report NMFS 53.
- Schwartz, F.J. 1995. Florida manatees, *Trichechus manatus* (Sirenia: Trichechidae), in North Carolina 1919-1994. *Brimleyana* 22:53-60.
- Schwartz, F.J. 1989. Biology and ecology of sea turtles frequenting North Carolina. Pages 307-331 in George, R.Y. and A.W. Hulbert, eds. North Carolina Coastal Oceanography Symposium. National Undersea Research Program Research Report 89-2. Silver Spring, Maryland: National Oceanic and Atmospheric Administration.
- Schwartz, F.J. 1978. Behavioral and tolerance responses to cold water temperatures by three species of sea turtles (Reptilia, Cheloniidae) in North Carolina. Pages 16-18 in Henderson, G.E., ed. Proceedings of the Florida and Interregional Conference on Sea Turtles, 24-25 July 1976, Jensen Beach, Florida. Florida Marine Research Publications No. 33. St. Petersburg, Florida: Florida Department of Natural Resources.
- Seaturtle.org. 2014. North Carolina WRC Sea Turtle Project. Accessed 24 September 2014. <http://www.seaturtle.org>.
- Seney, E.E. and J.A. Musick. 2005. Diet analysis of Kemp's ridley sea turtles (*Lepidochelys kempii*) in Virginia. *Chelonian Conservation and Biology* 4(4):864-871.
- Shi, J. 2010. Reducing Artificial Nighttime Light Pollution and Its Impacts. Geographic Strategies Group, Air Quality Policy Division, Office of Air Quality Planning and Standards, Environmental Protection Agency, Research Triangle Park, North Carolina.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundances of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs* 6:43-67.
- Shortnose Sturgeon Status Review Team (SSSRT). 2010. A biological assessment of shortnose sturgeon (*Acipenser brevirostrum*). Report to National Marine Fisheries Service, Northeast Regional Office.
- Silva, M.A., L. Steiner, I. Cascão, M.J. Cruz, R. Prieto, T. Cole, P.K. Hamilton, and M. Baumgartner. 2012. Winter sighting of a known western North Atlantic right whale in the Azores. *Journal of Cetacean Research and Management* 12(1):65-69.

- Slack, R.S. 1994. Birds of the Brunswick County Islands: Oak Island, Holden Beach, Ocean Isle and Sunset Beach. Roy S. Slack, Phoenix, NY.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, P.T. Stevick, and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15(1):1-32.
- Smith, T.I.J. and J.P. Clugston. 1997. Status and management of Atlantic sturgeon, *Acipenser oxyrinchus*, in North America. *Environmental Biology of Fishes* 48:335-346.
- Smultea, M.A. 1994. Segregation by humpback whale (*Megaptera novaeangliae*) cows with a calf in coastal habitat near the island of Hawaii. *Canadian Journal of Zoology* 72:805-811.
- South Atlantic Fishery Management Council (SAFMC). 2009. Fishery Ecosystem Plan of the South Atlantic Region. SAFMC, Charleston, SC.
- SAFMC. 1998. Final Habitat Plan for the South Atlantic Region: Essential Fish Habitat Requirements for Fishery Management Plans of the South Atlantic Fishery Management Council. SAFMC, Charleston, SC.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, D. Kastak Jr., D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, and P.L. Tyack. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33(4):411-521.
- Southeast Area Monitoring and Assessment Program (SEAMAP-SA). 2001. South Atlantic Bight Hard Bottom Mapping. SEAMAP South Atlantic Bottom Mapping Workgroup, Charleston, South Carolina, 166p.
- SEAMAP-SA/SCMRD. 2000. SEAMAP-SA 10-Year Trawl Report: Results of Trawling Efforts in the Coastal Habitat of the South Atlantic Bight, FY 1990-1999. ASMFC, Special Tech. Rep. No. 71, 143 p.
- Stein, A.B., K.D. Friedland, and M. Sutherland. 2004. Atlantic sturgeon marine distribution and habitat use along the northeastern coast of the United States. *Transactions of the American Fisheries Society* 133:527-537.
- Stevick, P.T., L.S. Incze, S.D. Kraus, S. Rosen, N. Wolff, and A. Baukus. 2008. Trophic relationships and oceanography on and around a small offshore bank. *Marine Ecology Progress Series* 363:15-28.
- Stevick, P.T., J. Allen, M. Bérubé, P.J. Clapham, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Robbins, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003. Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology, London* 259:231-237.

- Stewart, K. and C. Johnson. 2006. *Dermochelys coriacea* - Leatherback sea turtle. Pages 144-157 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Stickney, R.R. and D. Perlmutter. 1975. Impact of intracoastal waterway maintenance dredging on a mud bottom benthos community. *Biological Conservation* 7: 211–226.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science* 9(3):309-315.
- Taggart, J.B. 1980. Fort Macon State Park Natural Area. Report compiled for the N.C. Division of Parks and Recreation. Raleigh, North Carolina.
- Taylor, J.C., W.A. Mitchell, J.A. Buckel, H.J. Walsh, K.W. Shertzer, G.B. Martin, and J.A. Hare. 2009. Relationships between Larval and Juvenile Abundance of Winter-Spawned Fishes in North Carolina, USA. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 1: 11-20.
- Thayer, G.W., W.J. Kenworthy, and M.S. Fonseca. 1984. The Ecology of Eelgrass Meadows of the Atlantic coast: A Community Profile. U.S. Fish and Wildlife Service, FWS/OBS-84/02, 147p.
- Thompson, N.B., J.R. Schmid, S.P. Epperly, M.L. Snover, J. Braun-McNeill, W.N. Witzell, W.G. Teas, L.A. Csuzdi, and R.A. Myers. 2001. Stock assessment of leatherback sea turtles of the western North Atlantic. Pages 67-104 in NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center), ed. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-455.
- Town of Oak Island. 2009. Town of Oak Island 2009 CAMA land use plan update. Oak Island, North Carolina: Town of Oak Island.
- Tsipoura, N. and J. Burger. 1999. Shorebird diet during spring migration stopover on Delaware Bay. *Condor* 101(3):635-644.
- Turtle Expert Working Group (TEWG). 2007. An assessment of the leatherback turtle population in the Atlantic Ocean. NOAA Technical Memorandum NMFS-SEFSC-555:1-116.
- TEWG. 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-444:1-115.
- United States Army Corps of Engineers (USACE). 2014a. Final environmental impact statement: Village of Bald Head Island Shoreline Protection Project.. Brunswick County, North Carolina.

- USACE. 2014b. 2014 seabeach amaranth (*Amaranthus pumilus*) survey. U.S. Army Corps of Engineers Wilmington District.
- USACE. 2008. South Atlantic Regional Biological Assessment (SARBA) for Dredging Activities in the Coastal Waters, Navigation Channels [including designated Ocean Dredged Material Disposal Sites (ODMDS)], and Sand Mining Areas in the South Atlantic Ocean. U.S. Army Corps of Engineers, South Atlantic Division. September 2008.
- United States Census Bureau. 2010a. U.S. Census 2010. Available online at: factfinder2.census.gov.
- United States Census Bureau. 2010b. American Community Survey 2006-2010. Available online at: factfinder2.census.gov.
- United States Fish and Wildlife Service (USFWS). 2013. Rufa Red Knot ecology and abundance: Supplement to Endangered and Threatened Wildlife and Plants; Proposed Threatened Status for the Rufa Red Knot (*Calidris canutus rufa*). U.S. Fish and Wildlife Service.
- USFWS. 2011. Abundance and productivity estimates: Atlantic Coast piping plover population, 1986-2009. Sudbury, Massachusetts.
- USFWS. 2009. Piping plover (*Charadrius melodus*) 5-year review: summary and evaluation. U.S. Fish and Wildlife Service, Hadley, Massachusetts.
- USFWS. 2007. Wood stork (*Mycteria americana*). 5-Year review: Summary and evaluation. Jacksonville, Florida: U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office.
- USFWS. 2003. Recovery Plan for the Great Lakes Piping Plover (*Charadrius melodus*). Fort Snelling, Minnesota.
- USFWS. 2001a. Florida Manatee Recovery Plan, (*Trichechus manatus latirostris*), Third Revision. U.S. Fish and Wildlife Service. Atlanta, GA.
- USFWS. 2001b. Nesting loggerhead sea turtle activity report 2000 and 1980-2000 nesting summary. Prepared for U.S. Army Corps of Engineers, Department of the Army, Norfolk, Virginia by S. Williams and J. Gallegos, Back Bay National Wildlife Refuge.
- USFWS. 1997. Revised recovery plan for the U.S. breeding population of the wood stork. Atlanta, Georgia: U.S. Fish and Wildlife Service, Southeast Region.
- USFWS. 1996a. Piping Plover (*Charadrius melodus*), Atlantic Coast Population, Revised Recovery Plan. U.S. Fish and Wildlife Service, Hadley, MA.
- USFWS. 1996b. Recovery plan for seabeach amaranth (*Amaranthus pumilus*). Atlanta, Georgia: U.S. Fish and Wildlife Service.
- USFWS and NMFS. 1992. Recovery plan for the Kemp's ridley sea turtle (*Lepidochelys kempii*). St. Petersburg, Florida: National Marine Fisheries Service.

- United States Travel Association. 2010. The Economic Impact of Travel on North Carolina Counties 2010. Prepared for the North Carolina Division of Tourism, Film and Sports Development.
- University of Delaware Sea Grant (UDSG). 2000. Sea turtles count on Delaware Bay. University of Delaware Sea Grant Reporter 19(1):7.
- Van Dolah, R.F., D.R. Calder, and D.M. Knott. 1984. Effects of dredging and open water disposal on benthic macroinvertebrates in a South Carolina estuary. *Estuaries* 7:28-37.
- Van Dolah, R.F., D.R. Calder, D.M. Knott, and M.S. Maclin. 1979. Effects of dredging and unconfined disposal of dredged material on macrobenthic communities in Sewee Bay, South Carolina. South Carolina Mar. Res. Center Tech. Rep. No. 39. 54 p.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P. Rosel, eds. 2014. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2013. NOAA Technical Memorandum NMFS-NE-228.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the north-eastern USA shelf. *Fisheries Oceanography* 2(2):101-105.
- Weinrich, M., M. Martin, R. Griffiths, J. Bove, and M. Schilling. 1997. A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine. *Fishery Bulletin* 95(4):826-836.
- Wenzel, F., D.K. Mattila, and P.J. Clapham. 1988. *Balaenoptera musculus* in the Gulf of Maine. *Marine Mammal Science* 4(2):172-175.
- Whitehead, H. 1982. Populations of humpback whales in the northwest Atlantic. *Reports of the International Whaling Commission* 32:345-353.
- Whitehead, H. and M.J. Moore. 1982. Distribution and movements of West Indian humpback whales in winter. *Canadian Journal of Zoology* 60:2203-2211.
- Whitt, A.D., K. Dudzinski, and J.R. Laliberté. 2013. North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. *Endangered Species Research* 20:50-69.
- Wiegert, R.G. and B.J. Freeman. 1990. Tidal Salt Marshes of the Southeast Atlantic Coast: A Community Profile. U.S. Fish and Wildlife Service Biological Report 85(7.29): 71.
- Wilber, D., D. Clarke, G. Ray, and R.V. Dolah. 2009. Lessons learned from biological monitoring of beach nourishment projects. In Fortieth Texas A&M Dredging Seminar. Tempe, Arizona.

- Wilber, D.H., W. Brostoff, D.G. Clarke, and G.L. Ray. 2005. Sedimentation: Potential biological effects from dredging operations in estuarine and marine environments. DOER Technical Notes Collection (ERDC TN-DOER-E20). Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fishery Bulletin 93:196-205.
- Winn, H.E., C.A. Price, and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. Reports of the International Whaling Commission (Special Issue 10):129-138.
- Wirgin, I., C. Grunwald, E. Carlson, J. Stabile, D.L. Peterson, and J. Waldman. 2005. Range-wide population structure of shortnose sturgeon, (*Acipenser brevirostrum*), based on sequence analysis of the mitochondrial DNA control region. Estuaries Vol. 28(3): 406-421.
- Witherington, B.E. 1994. Flotsam, jetsam, post-hatchling loggerheads, and the advecting surface smorgasbord. Pages 166-168 in Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar, eds. Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351.
- Witherington, B. and S. Hiram. 2006. Sea turtles of the epi-pelagic *Sargassum* drift community. Page 209 in Abstracts, 26th Annual Symposium on Sea Turtle Biology and Conservation. 3-8 April 2006. Island of Crete, Greece.
- Witherington, B., M. Bresette, and R. Herren. 2006. *Chelonia mydas* - green turtle. Pages 90-104 in Meylan, P.A., ed. Biology and conservation of Florida turtles. Chelonian Research Monographs No. 3. Lunenburg, Massachusetts: Chelonian Research Foundation.
- Witt, M.J., A.C. Broderick, D.J. Johns, C. Martin, R. Penrose, M.S. Hoogmoed, and B.J. Godley. 2007. Prey landscapes help identify potential foraging habitats for leatherback turtles in the northeast Atlantic. Marine Ecology Progress Series 337:231-243.